
SATYA

GEOMETRICAL SECTION

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

RECTANGULAR TUBES




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	291422	25	19	2.00	0.432	1.550-1.600
02.	291007	35	18	1.90	0.504	1.840-2.200
03.	291008	35	22	0.46	0.150	0.500-0.600
04.	290910	33	25	0.80	0.232	0.850-0.950
05.	291009	38	25	0.45	0.164	0.600-0.700
06.	291010	38	25	0.60	0.205	0.700-0.800
07.	291011	38	25	0.75	0.246	0.900-1.000
08.	291012	38	25	0.90	0.286	1.050-1.200
09.	291013	38	25	1.00	0.327	1.200-1.350
10.	291014	38	25	1.25	0.368	1.350-1.500
11.	291015	38	25	1.35	0.409	1.500-1.750
12.	291016	38	25	1.55	0.478	1.750-2.000
13.	291017	38	25	1.75	0.546	2.000-2.300
14.	291020	40	20	1.80	0.548	1.900-2.100
15.	291106	45	22	0.48	0.170	0.600-0.700
16.	291107	50	25	0.50	0.200	0.700-0.800
17.	291108	50	25	0.58	0.230	0.800-0.900
18.	291109	50	25	0.60	0.245	0.900-1.000
19.	291110	50	25	0.75	0.273	1.000-1.200
20.	291111	50	25	0.90	0.355	1.200-1.350
21.	291112	50	25	1.00	0.368	1.350-1.500
22.	291113	50	25	1.25	0.409	1.500-1.750
23.	291114	50	25	1.35	0.478	1.750-2.000
24.	291115	50	25	1.50	0.546	2.000-2.300
25.	291116	50	25	1.92	0.741	2.700-3.000
26.	291117	50	25	2.85	1.066	3.900-4.200
27.	291423	51.4	30	2.50	1.031	3.700-4.000
28.	291210	63	25	0.85	0.355	1.100-1.300
29.	291211	63	25	1.00	0.409	1.500-1.700
30.	291308	55	35	0.55	0.264	0.900-1.100
31.	291309	60	35	0.55	0.328	1.200-1.400
32.	291310	63	38	0.55	0.341	1.250-1.400
33.	291311	63	38	0.70	0.382	1.400-1.550
34.	291312	63	38	0.85	0.423	1.550-1.750
35.	291313	63	38	0.95	0.508	1.750-2.000

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

RECTANGULAR TUBES




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
35.	291314	63	38	1.15	0.546	2.000-2.300
36.	291315	63	38	1.30	0.628	2.300-2.600
37.	291316	63	38	1.45	0.710	2.600-3.000
38.	291317	63	38	1.97	1.033	3.700-4.000
39.	291318	63	38	2.70	1.394	5.000-5.300
40.	291325	70	20	2.00	0.928	3.200-3.500
41.	291416	75	12	2.10	0.940	3.400-3.700
42.	291415	75	18	2.00	0.961	3.500-3.700
43.	291410	75	25	0.75	0.478	1.750-2.000
44.	291411	75	25	0.90	0.546	2.000-2.300
45.	291412	75	25	2.00	1.000	3.700-3.900
46.	291419	75	50	4.00	2.518	9.000-9.600
47.	291413	80	50	2.00	1.380	5.000-5.500
48.	291414	80	50	3.00	1.960	7.200-7.800
49.	291510	100	25	1.10	0.601	2.200-2.400
50.	291511	100	25	1.15	0.655	2.400-2.700
51.	291512	100	25	1.30	0.737	2.700-3.000
52.	291425	100	25	1.50	0.968	3.400-3.800
53.	291610	100	44	1.30	1.229	4.500-5.000
54.	291611	100	50	1.95	1.540	5.640-7.640
55.	291420	100	50	4.00	3.058	10.90-11.60
56.	291417	150	25	2.00	1.846	6.700-7.200
57.	291418	150	50	2.00	2.116	7.600-8.200
58.	291426	150	75	2.00	2.386	8.500-9.000
59.	291421	200	50	2.50	3.310	12.05-12.65
60.	291422	200	100	2.50	3.980	14.00-15.00
61.	291424	200	100	4.00	6.305	23.00-23.80

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

L TUBE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	381008	38	25	0.70	0.233	1.000-1.125
02.	381009	38	25	0.80	0.265	1.125-1.300
03.	381010	38	25	0.92	0.304	1.300-1.600
04.	381011	38	25	1.13	0.370	1.600-1.900
05.	381012	38	25	1.30	0.424	1.900-2.200
06.	381110	50	25	0.85	0.336	1.400-1.800
07.	381111	50	25	1.08	0.425	1.800-2.200
08.	381209	50	38	0.72	0.340	1.500-1.600
09.	381210	50	38	0.80	0.373	1.700-2.100

DGC




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	281010	19	9.50	0.60	0.270	0.250-0.350
02.	281011	19	9.50	1.00	0.111	0.350-0.450
03.	281110	22	11.0	0.70	0.100	0.350-0.450
04.	281111	22	11.0	0.95	0.134	0.450-0.550
05.	281210	25	12.0	0.55	0.088	0.250-0.350
06.	281211	25	12.0	0.65	0.104	0.350-0.450
07.	281212	25	12.0	0.80	0.130	0.450-0.550
08.	281213	25	12.0	1.10	0.171	0.550-0.650
09.	281214	25	12.0	1.18	0.183	0.650-0.750
10.	281215	25	12.0	1.42	0.220	0.750-0.850
11.	281310	32	12.0	0.70	0.124	0.450-0.550
12.	281311	32	12.0	0.85	0.150	0.550-0.650
13.	281410	38	15.0	0.80	0.174	0.550-0.650
14.	281411	38	15.0	0.90	0.195	0.650-0.750

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SQUARE TUBE




Sr. No.	Profile Code	A (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	310911	12.00	1.20	0.140	0.450-0.600
02.	311009	19.00	0.65	0.130	0.450-0.650
03.	311010	19.00	0.95	0.187	0.650-0.850
04.	311011	19.00	1.25	0.237	0.850-1.000
05.	311012	19.00	2.00	0.378	1.300-1.500
06.	311110	23.00	0.65	0.160	0.450-0.600
07.	311111	23.00	0.70	0.168	0.600-0.750
08.	311112	23.00	0.90	0.215	0.750-0.900
09.	311113	23.00	1.15	0.271	0.900-1.050
10.	311210	25.00	1.00	0.260	0.900-1.050
11.	311211	25.00	1.15	0.300	1.050-1.200
12.	311212	25.00	1.30	0.333	1.200-1.400
13.	311213	25.00	1.52	0.385	1.400-1.700
14.	311214	25.00	1.87	0.470	1.700-2.000
15.	311215	25.00	2.30	0.563	2.000-2.400
16.	311216	25.00	2.80	0.671	2.400-2.700
17.	311217	35.00	2.00	0.712	2.500-2.700
18.	311410	38.00	1.00	0.400	1.400-1.600
19.	311411	38.00	1.13	0.450	1.600-2.000
20.	311412	38.00	1.42	0.560	2.000-2.400
21.	311413	38.00	1.70	0.666	2.400-2.700
22.	311724	38.00	2.00	0.777	2.750-3.200
23.	311726	38.00	3.00	1.134	4.050-4.500
24.	311721	40.00	2.00	0.821	2.900-3.300
25.	311310	50.00	1.30	0.684	2.400-2.700
26.	311311	50.00	1.42	0.745	2.700-3.000
27.	311312	50.00	1.60	0.840	3.000-3.500
28.	311313	50.00	1.90	0.987	3.500-4.000
29.	311314	50.00	2.15	1.111	4.000-4.500
30.	311315	50.00	2.40	1.233	4.500-5.000
31.	311317	50.00	3.00	1.500	5.500-6.700
32.	311725	50.00	4.00	1.987	7.172-7.672
33.	311719	60.00	4.00	2.419	8.550 - 9.150

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SQUARE TUBE




Sr. No.	Profile Code	A (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
33.	311414	64.00	4.00	2.600	9.300-9.800
34.	311514	70.00	4.00	2.851	10.300-10.800
35.	311720	72.0	2.00	1.511	5.400-5.850
36.	311614	75.00	3.00	2.330	8.500-10.000
37.	311714	87.00	4.00	3.585	13.000-13.500
38.	311715	100.0	2.00	2.116	7.700-8.000
39.	311716	100.0	3.00	3.142	11.450-11.700
40.	311717	150.0	3.00	4.762	17.350-17.800
41.	311718	200.0	3.00	6.382	23.250-23.600

OVAL TUBE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Wt/mtr (KG)
71.	301101	21.45	13.70	3.03	0.396
72.	301102	24.40	15.65	3.50	0.520
73.	301103	27.44	17.32	3.92	0.647
74.	301104	33.20	21.34	4.72	0.957
75.	301105	35.92	22.87	4.87	1.085



Profile Code - 311723
Weight(KG)/M -1.469


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW

A - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	392010	23.3	40	0.65	0.800-1.000

C - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	397010	23	24	1.00	0.700-850

F - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	394009	15	25	0.85	0.400-0.500
02.	394010	15	25	1.00	0.500-0.600

G - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	391010	40	40	1.80	2.100-2.300
02.	391011	40	40	2.00	2.300-2.500


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW

Y - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	395009	10	30	0.85	0.400-0.500
02.	395010	10	30	1.00	0.500-0.600

H - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	396010	10	30	0.80	0.500-0.600

U - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	393040	09	09	1.00	0.180-0.250
02.	393030	12	09	1.00	0.350-0.500
03.	393050	12	12	0.72	0.250-0.300
04.	393010	23	18	1.00	0.500-0.650
05.	393020	32	16	1.00	0.750-0.900
06.	393041	22	75	3.00	4.900-5.200
07.	393052	30.0	20.0	2.00	1.300-1.550
08.	393042	67	53	2.50	4.200-4.500
09.	393043	22	18.5	1.00	0.530-0.600
10.	393051	60.0	60.0	4.00	4.380-4.730
11.	393044	101.6	50.8	6.35	11.950-12.250
12.	393045	101.6	41.8	6.68	11.300-11.600
13.	393046	127.2	47.8	8.00	16.300-16.800
14.	393047	152.4	51.6	8.10	19.100-19.600
15.	393048	177.8	58.4	9.98	27.000-27.600
16.	393053	177.0	76.0	6.79	24.300-24.900
17.	393049	203.2	65.0	11.85	36.200-36.800

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SOLID GEOMETRICAL PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

EQUAL ANGLE




Sr.No.	Profile Code	A (mm)	A (mm)	T (mm)	Weight/12' (KG)
01.	320810	12	12	1.61	0.350-0.450
02.	320910	19	19	1.25	0.450-0.550
03.	321416	19	19	2.00	0.650-0.850
04.	321009	19	19	2.17	0.750-0.900
05.	321010	19	19	2.80	0.900-1.000
06.	321110	25	25	0.80	0.300-0.450
07.	321111	25	25	1.00	0.450-0.600
08.	321112	25	25	1.30	0.600-0.800
09.	321113	25	25	1.80	0.800-1.000
10.	321114	25	25	2.15	1.000-1.200
11.	321130	32	32	5.00	2.850-3.000
12.	321310	38	38	2.80	2.000-2.300
13.	321410	50	50	3.00	2.800-3.000
14.	321415	50	50	6.00	5.500-5.850
15.	321411	50.8	50.8	4.78	4.500-4.750
16.	321414	60	60	2.00	2.300-2.500
17.	321417	75	75	6.00	8.450-8.700

UNEQUAL ANGLE




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	321209	38	18	2.00	1.000-1.150
02.	321210	38	25	2.20	1.300-1.500
03.	321211	38	25	2.55	1.500-1.700
04.	321212	38	25	3.00	1.700-1.900
05.	321213	38	25	3.30	1.900-2.100
06.	363040	80	20	6.00	5.550-5.650

PLANE TEE



Sr.No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	371010	19	19	0.300-0.500
02.	371011	19	19	0.500-0.650
03.	371110	25	25	0.450-0.600
04.	371111	25	25	0.600-0.800
05.	371210	38	25	0.600-0.800
06.	371211	38	25	0.800-1.000
07.	371213	38	25	1.000-1.200
08.	371214	38	38	1.400-1.700

BULB TEE




Sr.No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	372011	25	25	0.450-0.500
02.	372110	38	25	0.700-0.800
03.	372111	38	25	0.800-1.000

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

ROUND TUBES




Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	300610	6.0	4.00	1.00	0.042	0.150-0.200
02.	302066	7.0	5.0	1.0	0.050	0.170-0.230
03.	300710	8.0	6.00	1.00	0.059	0.200-0.250
04.	300711	8.0	5.00	1.50	0.083	0.280-0.330
05.	300713	8.0	3.50	2.50	0.127	0.464-0.480
06.	302065	9.0	7.20	0.90	0.061	0.210-0.270
07.	300810	9.5	6.50	1.50	0.102	0.350-0.400
08.	302068	9.5	7.3	1.1	0.078	0.270-0.330
09.	302033	12.0	8.0	2.0	0.170	0.570-0.720
10.	302067	12.0	9.5	1.25	0.113	0.400-0.500
11.	300910	12.0	10.2	0.90	0.084	0.300-0.350
12.	300911	12.5	9.80	1.35	0.127	0.400-0.450
13.	300912	12.7	7.60	2.55	0.220	0.800-0.850
14.	302030	15.0	12.0	1.50	0.171	0.620-0.720
15.	302034	15.88	13.68	1.10	0.137	0.450-0.600
16.	302031	16.0	10.0	3.00	0.331	1.210-1.310
17.	302032	16.0	12.0	2.00	0.238	0.840-0.930
18.	302050	17.9	15.1	1.40	0.196	0.680-0.760
19.	302059	18.0	16.0	1.00	0.144	0.500-0.620
20.	301010	19.0	17.5	0.75	0.123	0.450-0.500
21.	301011	19.0	17.0	1.00	0.164	0.550-0.600
22.	301012	19.0	16.6	1.20	0.181	0.650-0.700
23.	301013	19.0	16.2	1.40	0.209	0.700-0.750
24.	301014	19.0	15.8	1.60	0.236	0.750-0.800
25.	301015	19.0	15.4	1.80	0.262	0.800-0.900
26.	301016	19.0	15.3	1.85	0.270	0.900-1.000
27.	302032	21.0	18.0	1.50	0.248	0.900-1.000
28.	301810	22.0	20.4	0.80	0.144	0.500-0.600
29.	302060	22.0	20.0	1.00	0.178	0.630-0.750
30.	301811	22.0	19.0	1.50	0.261	0.900-1.000
31.	301107	24.0	22.6	0.70	0.138	0.500-0.600
32.	301108	25.0	23.3	0.85	0.174	0.600-0.700
33.	301109	25.0	23.0	1.00	0.203	0.700-0.750
34.	301110	25.0	22.6	1.20	0.242	0.800-0.900
35.	301111	25.0	22.3	1.35	0.271	0.900-1.000
36.	301112	25.0	21.7	1.65	0.330	1.000-1.250
36.	301113	25.0	21.5	1.75	0.345	1.250-1.500
37.	301114	25.0	22.4	2.30	0.443	1.500-1.750

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

ROUND TUBES



Sr. No.	Profile Code	Ø - OD (mm)	C - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
38	301115	25.0	19.6	2.70	0.510	1.750-2.000
39	302054	25.0	13.2	5.90	0.955	3.450-3.700
40	302070	26.0	10.5	7.75	1.199	4.370-4.550
41	302069	26.6	22.3	2.15	0.445	1.610-1.810
42	301410	30.0	26.0	2.00	0.475	1.700-1.900
43	302035	30.0	24.0	3.00	0.687	2.480-2.600
44	301309	31.5	29.6	0.95	0.246	0.800-1.000
45	301310	31.0	28.0	1.50	0.380	1.400-1.900
46	302052	32.0	25.7	3.15	0.770	2.770-2.900
47	302056	35.0	32.0	1.50	0.426	1.500-1.750
48	302063	35.0	31.6	1.70	0.480	1.700-1.900
49	301510	35.0	31.0	2.00	0.559	2.000-2.200
50	301210	38.0	36.3	0.85	0.270	0.900-1.100
51	302061	38.0	35.0	1.50	0.465	1.660-1.860
52	302036	38.0	34.8	1.60	0.493	1.770-1.900
53	302037	38.0	34.0	2.00	0.610	2.200-2.330
54	302053	38.0	32.0	3.00	0.770	2.750-2.950
55	301610	40.0	36.0	2.00	0.644	2.300-2.500
56	301910	42.0	38.6	1.70	0.581	2.000-2.200
57	302038	44.0	38.0	3.00	1.043	3.790-3.900
58	301710	45.0	41.0	2.00	0.730	2.500-2.700
59	302029	46.0	42.0	2.00	0.746	2.650-2.900
60	302055	50.0	47.0	1.50	0.617	2.200-2.500
61	301950	50.0	46.0	2.00	0.814	2.800-3.200
62	302049	50.0	25.0	12.5	3.976	14.50-14.80
63	301715	50.5	46.1	2.20	0.900	3.200-3.600
64	302010	60.0	54.0	3.00	1.450	5.200-5.400
65	302039	60.0	50.0	5.00	2.332	8.500-8.650
66	302062	62.0	32.0	15.0	5.980	21.70-22.50
67	302011	63.0	57.0	3.00	1.527	5.400-5.650
68	302012	75.0	70.0	2.50	1.537	5.500-5.700
69	302040	75.0	71.0	2.00	1.238	4.500-4.650


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


GEOMETRICAL SECTION

ROUND TUBES




Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
70	302071	76.2	61.4	7.4	4.318	15.76-15.86
71	302057	80.0	76.0	2.00	1.323	4.800-5.050
72	302041	88.0	82.0	3.00	2.162	7.880-8.020
73	302013	100.0	95.0	2.50	2.070	7.450-7.576
74	302042	100	90.0	5.00	4.029	14.70-14.85
75	302043	127	121.0	3.00	3.115	11.30-11.60
76	302044	127	123.0	2.00	2.120	7.700-7.850
77	302045	150.0	145.0	2.50	3.127	11.35-11.60
78	302046	150.0	138.0	6.00	7.328	26.75-27.25
79	302047	140.0	127.0	6.50	7.360	26.85-27.35
80	302048	114.0	101.0	6.50	5.926	21.60-22.00

FLUTED ROUND PIPE



S.r No.	Profile Code	OD (mm)	ID (mm)	T (mm)	Weight/12' (KG)
01.	332011	24	22.4	0.8	0.550-0.600
02.	332010	25	22.0	1.5	1.200-1.500
03.	335012	25.0	20.0	2.5	1.380-1.600
04.	333010	50.5	45.85	1.5	2.700-2.950
05.	335010	50.0	46.0	2.0	2.475-2.675



S.r No.	Profile Code	OD (mm)	ID (mm)	T (mm)	Weight/12' (KG)
01.	354001	39	37.5	0.75	0.950-1.000

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

GEOMETRICAL SECTION

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

FLAT BAR




Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)	Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	331054	15.88±0.20	02±0.15	0.315	36.	331035	80±0.80	06±0.20	4.740
02.	331036	19±0.20	1.5±0.15	0.250	37.	331015	80±0.80	10±0.30	7.910
03.	331025	19±0.20	06±0.20	1.130	38.	331034	80±0.80	12±0.30	9.480
04.	331000	20±0.20	06±0.20	1.190	39.	331058	100±1.00	3.7±0.20	3.652
05.	331001	20±0.20	10±0.30	1.980	40.	331026	100±1.00	06±0.20	5.930
06.	331002	25±0.25	03±0.20	0.740	41.	331056	100±1.00	08±0.20	7.900
07.	331003	25±0.25	06±0.20	1.480	42.	331083	100±1.00	10±0.30	9.880
08.	331050	25±0.25	08±0.30	1.975	43.	331017	100±1.00	12±0.30	11.86
09.	331004	25±0.25	10±0.30	2.470	44.	331027	100±1.00	20±0.35	19.76
10.	331005	25±0.25	12±0.30	2.960	45.	330066	100±1.00	40±0.40	39.52
11.	331021	30±0.30	06±0.20	1.780	46.	330067	100±1.00	50±0.50	49.40
12.	331006	30±0.30	10±0.30	2.960	47.	330092	101±1.00	75±0.70	74.85
13.	331051	30±0.30	12±0.30	3.560	48.	330091	102±1.20	63±0.60	63.50
14.	330095	40±0.25	02±0.15	0.790	49.	331052	125±1.25	06±0.20	7.410
15.	331007	40±0.40	06±0.20	2.370	50.	331018	125±1.25	10±0.30	12.35
16.	331057	40±0.40	08±0.20	3.160	51.	331019	125±1.25	12±0.30	14.82
17.	331008	40±0.40	10±0.30	3.950	52.	330068	125±1.25	50±0.50	61.75
18.	331022	40±0.40	12±0.30	4.740	53.	331039	140±1.40	9.4±0.30	13.00
19.	330099	40±0.40	16±0.25	6.320	54.	330093	140±1.20	50±0.50	69.15
20.	330100	40±0.40	20±0.25	7.900	55.	330070	150±1.50	06±0.20	8.890
21.	331009	50±0.50	06±0.20	2.960	56.	330087	150±1.50	08±0.20	11.85
22.	331053	50±0.50	08±0.20	3.950	57.	331071	150±1.50	10±0.30	14.82
23.	331010	50±0.50	10±0.30	4.940	58.	331040	150±1.50	12±0.30	17.70
24.	331011	50±0.50	12±0.30	5.930	59.	330107	150±1.20	12.7±0.30	18.82
25.	331012	60±0.60	06±0.20	3.560	60.	330074	150±1.50	16±0.25	23.70
26.	331013	60±0.60	10±0.30	5.930	61.	330073	150±1.50	19±0.25	28.15
27.	331030	60±0.60	12±0.30	7.120	62.	330108	150±1.20	20±0.30	29.64
28.	331029	63±0.63	06±0.20	3.740	63.	330094	150±1.20	40±0.40	59.30
29.	331028	63±0.63	10±0.30	6.230	64.	330072	150±1.50	50±0.50	74.10
30.	331023	63±0.63	12±0.30	7.470	65.	330088	160±1.60	06±0.25	9.500
31.	331024	75±0.75	06±0.20	4.450	66.	330084	160±1.60	10±0.25	15.80
32.	331014	75±0.75	10±0.30	7.410	67.	330086	180±1.80	10±0.25	17.78
33.	331033	75±0.75	12±0.30	8.900	68.	330075	200±2.00	06±0.25	11.84
34.	330101	76±0.70	50±0.50	37.60	69.	330076	200±2.00	10±0.25	19.75
35.	330102	76.2±0.70	63.5±0.60	47.81	70.	330077	200±2.00	12±0.25	23.70

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

FLAT BAR




Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)	Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
71.	330078	200±2.00	16±0.25	31.61					
72.	330079	200±2.00	20±0.25	39.52					
73.	330080	200±2.00	25±0.25	49.40					
74.	330085	210±2.00	12±0.25	24.89					
75.	330081	250±2.00	10±0.25	24.70					
76.	330082	250±2.00	12±0.25	29.63					

FLAT BAR (ROUND)



Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01	331042	40±0.40	10±0.30	3.740
02	331043	50±0.50	10±0.30	4.728
03	331044	60±0.60	10±0.30	5.717
04	331045	63±0.63	10±0.30	6.013
05	331046	75±0.75	10±0.30	7.199
06	331047	80±0.80	10±0.30	7.693
07	331048	100±1.00	10±0.30	9.670
08	331055	100±1.00	12±0.30	11.55
09	331049	125±1.00	10±0.30	12.14
10	331041	150±1.60	10±0.30	14.61
11	331038	160±1.60	10±0.30	15.59

FLAT BAR (HALF ROUND)



Sr. No.	Profile Code	A (mm)	B (mm)	Weight./Mtr. (KG)
01	330096	19.0	3.0	0.149
02	330097	31.0	3.0	0.246
03	330098	38.0	3.0	0.303
04	330104	50.0	3.0	0.400


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


GEOMETRICAL SECTION

ROUND ROD



S.r No.	Profile Code	A (mm)	Weight (KG/M)	Weight/12' (KG)
01.	332000	11.0	0.256	0.940
02.	332002	12.6	0.336	1.230
03.	332001	14.0	0.415	1.520
04.	332003	17.5	0.650	2.380
05.	332009	32.0	2.171	7.945
06.	332004	50.0	5.300	19.40
07.	332012	71.0	10.70	39.16
08.	332005	75.0	11.93	43.66
09.	332006	80.0	13.57	49.67
10.	332007	90.0	17.18	62.88
11.	332008	100	21.20	77.60

SQUARE BAR



S.r No.	Profile Code	A (mm)	Weight (KG/M)	Weight/12' (KG)
01.	332500	9.40	0.238	0.870
02.	332504	12.0	0.390	1.430
03.	332501	24.0	1.555	5.690
04.	332505	32.0	2.762	10.10
05.	332502	63.0	10.72	39.23
06.	332503	76.0	15.60	55.58


SATYA

SATYA METAL INDUSTRIES PVT.LTD
Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR PROFILES

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

SINGLE PARTITION (SP)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	100911	50	25	0.75	0.353	1.500-1.800
02.	100909	60	35	0.60	0.353	1.600-1.900
03.	101009	63	38	0.80	0.486	2.200-2.400
04.	101010	63	38	0.90	0.539	2.400-2.700
05.	101011	63	38	1.05	0.619	2.700-3.000
06.	101012	63	38	1.20	0.656	3.000-3.300
07.	101013	63	38	1.30	0.721	3.300-3.600
08.	101014	63	38	1.40	0.787	3.600-4.000
09.	101015	63	38	1.80	0.874	4.000-4.500
10.	101016	63	38	2.00	0.983	4.500-5.000
11.	101017	63	38	2.20	1.093	5.000-5.500
12.	101018	63	38	2.40	1.202	5.500-6.100
13.	101019	63	38	2.60	1.333	6.100-6.700
14.	101020	63	38	2.80	1.464	6.700-7.400
15.	101021	63	38	3.00	1.617	7.400-8.000
16.	101110	83	38	1.30	0.874	4.000-4.500
17.	101111	83	38	1.50	0.983	4.500-5.000
18.	101112	83	38	1.70	1.093	5.000-5.500
19.	101113	83	38	1.90	1.202	5.500-6.000
20.	101115	90	40	1.00	0.748	3.350-3.600
21.	101210	100	44	1.00	0.983	4.500-5.000
22.	101211	100	44	1.20	1.093	5.000-5.500
23.	101212	100	44	1.40	1.202	5.500-6.000
24.	101213	100	44	1.60	1.311	6.000-6.500
25.	101214	100	44	1.80	1.420	6.500-7.000
26.	101215	100	44	2.00	1.530	7.000-7.500
27.	101216	100	44	2.20	1.640	7.500-8.000
28.	101217	100	44	2.40	1.748	8.000-8.600
29.	101218	100	44	2.60	1.880	8.600-9.300
30.	101219	100	44	2.80	2.032	9.300-10.000
31.	101220	100	44	3.00	2.186	10.000-11.000

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOUBLE PARTITION (DP)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	110911	50	25	0.65	0.366	1.500-1.800
02.	111009	63	38	0.72	0.497	2.200-2.400
03.	111010	63	38	0.80	0.540	2.400-2.700
04.	111011	63	38	1.20	0.760	2.700-3.000
05.	111012	63	38	1.35	0.841	3.000-3.300
06.	111013	63	38	1.40	0.721	3.300-3.600
07.	111014	63	38	1.60	0.787	3.600-4.000
08.	111015	63	38	1.80	0.874	4.000-4.500
09.	111016	63	38	2.00	0.983	4.500-5.000
10.	111017	63	38	2.20	1.093	5.000-5.500
11.	111018	63	38	2.40	1.202	5.500-6.100
12.	111019	63	38	2.60	1.333	6.100-6.700
13.	111020	63	38	2.80	1.464	6.700-7.400
14.	111021	63	38	3.00	1.617	7.400-8.000
15.	111110	83	38	1.30	0.874	4.000-4.500
16.	111111	83	38	1.50	0.983	4.500-5.000
17.	111112	83	38	1.70	1.093	5.000-5.500
18.	111113	83	38	1.90	1.202	5.500-6.000
19.	111115	90	40	0.98	0.791	5.500-6.000
20.	111210	100	44	1.00	0.983	3.550-3.850
21.	111211	100	44	1.20	1.093	5.000-5.500
22.	111212	100	44	1.40	1.202	5.500-6.000
23.	111213	100	44	1.60	1.311	6.000-6.500
24.	111214	100	44	1.80	1.420	6.500-7.000
25.	111215	100	44	2.00	1.530	7.000-7.500
26.	111216	100	44	2.20	1.640	7.500-8.000
27.	111217	100	44	2.40	1.748	8.000-8.600
28.	111218	100	44	2.60	1.880	8.600-9.300
29.	111219	100	44	2.80	2.032	9.300-10.000
30.	111220	100	44	3.00	2.186	10.000-11.000

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR MIDDLE SINGLE (DMS)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	121009	47	44	0.90	0.490	2.200-2.400
02.	121010	47	44	1.00	0.536	2.400-2.700
03.	121011	47	44	1.15	0.605	2.700-3.000
04.	121012	47	44	1.30	0.655	3.000-3.300
05.	121013	47	44	1.50	0.721	3.300-3.600
06.	121014	47	44	1.70	0.787	3.600-4.000
07.	121015	47	44	1.90	0.874	4.000-4.500
08.	121016	47	44	2.10	0.983	4.500-5.000
09.	121017	47	44	2.30	1.092	5.000-5.500
10.	121018	47	44	2.50	1.202	5.500-6.000
11.	121110	83	44	1.20	1.027	4.700-5.000
12.	121111	83	44	1.40	1.092	5.000-5.500
13.	121112	83	44	1.60	1.202	5.500-6.000
14.	121113	83	44	1.80	1.311	6.000-6.500
15.	121114	83	44	2.00	1.420	6.500-7.000
16.	121115	83	44	2.20	1.530	7.000-7.600
17.	121116	83	44	2.40	1.661	7.600-8.000
18.	121117	83	44	2.60	1.748	8.000-8.500
19.	121118	83	44	2.80	1.858	8.500-9.000
20.	121119	83	44	3.00	1.967	9.000-9.500
21.	121120	83	44	3.20	2.076	9.500-10.000
22.	121121	83	44	3.40	2.186	10.000-10.500

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR MIDDLE DOUBLE (DMD)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	131009	47	44	0.83	0.506	2.200-2.400
02.	131010	47	44	1.00	0.580	2.400-2.700
03.	131011	47	44	1.05	0.590	2.700-3.000
04.	131012	47	44	1.25	0.655	3.000-3.300
05.	131013	47	44	1.45	0.721	3.300-3.600
06.	131014	47	44	1.65	0.787	3.600-4.000
07.	131015	47	44	1.85	0.874	4.000-4.500
08.	131016	47	44	2.05	0.983	4.500-5.000
09.	131017	47	44	2.25	1.092	5.000-5.500
10.	131018	47	44	2.45	1.202	5.500-6.000
11.	131209	47	44	0.85	0.513	2.350-2.450
12.	131210	47	44	1.00	0.546	2.500-2.600
13.	131110	83	44	1.15	1.027	4.700-5.000
14.	131111	83	44	1.35	1.092	5.000-5.500
15.	131112	83	44	1.55	1.202	5.500-6.000
16.	131113	83	44	1.75	1.311	6.000-6.500
17.	131114	83	44	1.95	1.420	6.500-7.000
18.	131115	83	44	2.15	1.530	7.000-7.600
19.	131116	83	44	2.35	1.661	7.600-8.000
20.	131117	83	44	2.55	1.748	8.000-8.500
21.	131118	83	44	2.75	1.858	8.500-9.000
22.	131119	83	44	2.95	1.967	9.000-9.500
23.	131120	83	44	3.15	2.076	9.500-10.000
24.	131121	83	44	3.35	2.186	10.000-10.500

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR VERTICLE (DV)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	141009	47	44	0.80	0.480	2.200-2.400
02.	141010	47	44	0.95	0.524	2.400-2.700
03.	141011	47	44	1.10	0.590	2.700-3.000
04.	141012	47	44	1.30	0.656	3.000-3.300
05.	141013	47	44	1.50	0.721	3.300-3.600
06.	141014	47	44	1.70	0.786	3.600-4.000
07.	141015	47	44	1.90	0.874	4.000-4.500
08.	141016	47	44	2.10	0.983	4.500-5.000
09.	141017	47	44	2.30	1.092	5.000-5.500
10.	141018	47	44	2.50	1.202	5.500-6.100
11.	141019	47	44	2.70	1.333	6.100-6.700
12.	141110	83	44	1.20	1.027	4.700-5.000
13.	141111	83	44	1.40	1.092	5.000-5.300
14.	141112	83	44	1.60	1.158	5.300-5.700
15.	141113	83	44	1.80	1.245	5.700-6.100
16.	141114	83	44	2.00	1.333	6.100-6.500
17.	141115	83	44	2.20	1.420	6.500-7.000
18.	141116	83	44	2.40	1.530	7.000-7.500
19.	141117	83	44	2.60	1.640	7.500-8.000
20.	141118	83	44	2.80	1.748	8.000-8.600
21.	141119	83	44	3.00	1.879	8.600-9.200
22.	141120	83	44	3.20	2.010	9.200-10.00
23.	141121	83	44	3.40	2.185	10.00-11.00

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR TOP / BOTTOM (DT/DB)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	151009	47	44	0.92	0.513	2.200-2.400
02.	151010	47	44	1.00	0.545	2.400-2.700
03.	151011	47	44	1.15	0.605	2.700-3.000
04.	151012	47	44	1.30	0.656	3.000-3.300
05.	151013	47	44	1.50	0.721	3.300-3.600
06.	151014	47	44	1.70	0.787	3.600-4.000
07.	151015	47	44	1.90	0.874	4.000-4.500
08.	151016	47	44	2.10	0.983	4.500-5.000
09.	151017	47	44	2.30	1.092	5.000-5.500
10.	151018	47	44	2.50	1.202	5.500-6.100
11.	151019	83	44	1.15	0.983	4.500-5.000
12.	151110	83	44	1.20	1.027	4.700-5.000
13.	151111	83	44	1.40	1.092	5.000-5.500
14.	151112	83	44	1.60	1.202	5.500-6.000
15.	151113	83	44	1.80	1.311	6.000-6.500
16.	151114	83	44	2.00	1.420	6.500-7.000
17.	151115	83	44	2.20	1.530	7.000-7.600
18.	151116	83	44	2.40	1.661	7.600-8.000
19.	151117	83	44	2.60	1.748	8.000-8.500
20.	151118	83	44	2.80	1.857	8.500-9.000
21.	151119	83	44	3.00	1.967	9.000-9.500
22.	151120	83	44	3.20	2.076	9.500-10.00
23.	151121	83	44	3.40	2.186	10.00-10.50
24.	151209	114	44	0.96	0.983	4.500-5.000
25.	151210	114	44	1.00	1.049	4.800-5.300
26.	151211	114	44	1.20	1.158	5.300-5.800
27.	151212	114	44	1.40	1.267	5.800-6.400
28.	151213	114	44	1.60	1.398	6.400-7.700
29.	151214	114	44	1.80	1.683	7.700-8.500
30.	151215	114	44	2.00	1.857	8.500-9.200
31.	151216	114	44	2.20	2.011	9.200-10.00
32.	151217	114	44	2.40	2.186	10.00-10.50

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR TOP SINGLE LEG (DTSL)




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	171009	47	44	0.96	0.546	2.200-2.400
02.	171010	47	44	0.96	0.546	2.400-2.700
03.	171011	47	44	1.10	0.590	2.700-3.000
04.	171012	47	44	1.30	0.656	3.000-3.300
05.	171013	47	44	1.50	0.721	3.300-3.600
06.	171014	47	44	1.70	0.787	3.600-4.000
07.	171015	47	44	1.90	0.874	4.000-4.500
08.	171016	47	44	2.10	0.983	4.500-5.000
09.	171109	83	44	1.14	0.983	4.500-5.000
10.	171110	83	44	1.20	1.049	4.800-5.000
11.	171111	83	44	1.40	1.092	5.000-5.300

BADAMI




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	161009	63	38	1.30	0.765	3.500-4.000
02.	161010	63	38	1.35	0.874	4.000-4.500
03.	161011	63	38	1.50	0.983	4.500-5.000
04.	161012	63	38	1.65	1.093	5.000-5.500
05.	161013	63	38	1.80	1.202	5.500-6.000
06.	161014	63	38	1.95	1.311	6.000-6.500
07.	162012	100	44	2.80	2.098	9.600-10.20

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026




Profile Code - 162012
Weight (KG)/M - 2.45

PATAM 90x45




Profile Code - 401010
Weight/12' (KG) - 6.000-6.500


PATAM 112x44




Profile Code - 402010
Weight/12' (KG) - 3.500-4.000




Profile Code - 414530
Weight/12' (KG) - 2.300-2.800



Profile Code - 402011
Weight (KG)/M - 1.156



Profile Code - 402012
Weight (KG)/M - 1.886



Profile Code - 414523
Weight (KG)/M - 1.820


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

DOOR PROFILES

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414515	54.0	26.5	0.86	1.350-1.500
02.	414520	63.0	40.0	0.86	1.700-1.900
03.	414521	63.0	40.0	1.00	1.900-2.100
04.	414522	63.0	40.0	1.10	2.100-2.300



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414525	59.0	35.5	0.83	1.450-1.600
02.	414526	59.0	35.5	0.83	1.450-1.600


SATYA

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

HANDLE




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	201009	40	18	0.57	0.191	0.700-0.750
02.	201010	40	18	0.60	0.218	0.800-0.900
03.	201011	40	18	0.67	0.245	0.900-1.050
04.	201012	40	18	0.88	0.287	1.050-1.200
05.	201013	40	18	1.00	0.328	1.200-1.400
06.	201014	40	18	1.15	0.382	1.400-1.600
07.	201015	40	18	1.35	0.437	1.600-1.800
08.	201016	40	18	1.50	0.491	1.800-2.000
09.	201108	45	25	0.70	0.319	1.350-1.400
10.	201110	50	25	0.85	0.382	1.400-1.700
11.	201111	50	25	1.10	0.464	1.700-1.950
12.	201112	50	25	1.12	0.533	1.950-2.200
13.	201113	50	25	1.16	0.655	2.400-2.600
14.	201210	60	19	1.15	0.519	1.900-2.200
15.	201310	75	32	1.10	0.737	2.700-2.900
16.	201710	75	25	1.00	0.524	2.400-2.600

PLANE HANDLE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	201410	62	32	1.00	0.574	1.900-2.200

PLANE HANDLE ROUND CORNERS



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	201610	38	18	2.25	0.663	3.100-3.500


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SLIDING PROFILES


ISO 14001:2015 | ISO 9001:2015 | RoHS | IS : 1285 CM/L-8300192411 | IS : 733 CM/L-8300192310




Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414110	80.0	25.4	0.95	2.100-2.400



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414215	50.0	25.4	0.95	1.500-1.700
02.	414210	80.0	25.4	0.95	2.100-2.400




Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414315	50.0	25.4	0.95	1.600-1.800
01.	414310	80.0	25.4	0.95	2.200-2.500




Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414410	80.0	25.4	0.95	2.000-2.300

GLASS SECTION




Sr. No.	Profile Code	Weight/15' (KG)
01.	261010 Hollow	6.500-7.000
02.	261011 Hollow	7.000-7.500
03.	261012 Hollow	7.500-8.000
04.	261110	8.500-9.200
05.	261111	9.200-10.00
06.	261112	10.00-11.00

LOUVERS



Profile Code - 406010
Weight/12' (KG) - 1.300-1.600



Profile Code - 406011
Weight KG/M - 0.328

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SLIDING WINDOW


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

TOP BOTTOM



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	191009	40	18	0.60	0.191	0.700-0.750
02.	191010	40	18	0.63	0.218	0.800-0.900
03.	191011	40	18	0.67	0.246	0.900-1.050
04.	191012	40	18	0.86	0.287	1.050-1.200
05.	191013	40	18	0.90	0.327	1.200-1.400
06.	191014	40	18	1.14	0.382	1.400-1.600
07.	191015	40	18	1.30	0.437	1.600-1.800
08.	191016	40	18	1.43	0.491	1.800-2.000
09.	191107	45	25	0.70	0.347	1.200-1.350
10.	191108	50	25	0.70	0.338	1.200-1.450
11.	191109	50	25	0.86	0.382	1.400-1.700
12.	191110	50	25	1.15	0.464	1.700-1.950
13.	191111	50	25	1.22	0.546	2.000-2.200
14.	191112	50	25	1.26	0.532	1.950-2.200
15.	191310	75	32	1.10	0.590	2.160-2.300
16.	191410	62	32	1.30	0.735	2.500-2.700
17.	191710	75	25	0.90	0.550	2.000-2.200
18.	191506	38	14	0.57	0.209	0.700-0.775

BEARING BOTTOM




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	191210	60	19	1.15	0.546	2.500-2.700
02.	191610	50	18	1.13	0.410	1.500-1.700
03.	531010	60	18	1.05	0.500	2.250-2.450

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

MIDDLE SECTION



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	211009	40	18	0.56	0.191	0.700-0.750
02.	211010	40	18	0.60	0.218	0.800-0.900
03.	211011	40	18	0.66	0.246	0.900-1.050
04.	211012	40	18	0.86	0.287	1.050-1.200
05.	211013	40	18	0.86	0.327	1.200-1.400
06.	211014	40	18	1.00	0.382	1.400-1.600
07.	211015	40	18	1.20	0.437	1.600-1.800
08.	211016	40	18	1.42	0.491	1.800-2.000
09.	211108	45	25	0.70	0.337	1.475-1.600
10.	211110	50	25	0.86	0.382	1.400-1.700
11.	211111	50	25	0.95	0.464	1.700-1.950
12.	211112	50	25	1.05	0.532	1.950-2.200
13.	211113	50	25	1.15	0.546	2.500-2.800
14.	211210	50	32	0.95	0.519	1.900-2.200
15.	211410	75	25	0.90	0.480	2.200-2.400
15.	211507	38	14	0.65	0.209	0.700-0.775
16.	211510	80	18	1.00	0.480	2.400-2.600
17.	532010	80	18	0.90	0.542	2.400-2.600
18.	533010	75	25	0.90	0.578	2.600-2.800
19.	211310	75	32	1.10	0.590	2.650-2.850

PLANE MIDDLE SECTION




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	211310	62	32	1.10	0.710	2.500-2.700

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

TOP BOTTOM SINGLE LEG



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	221009	40	18	0.63	0.190	0.700-0.750
02.	221010	40	18	0.67	0.220	0.800-0.900
03.	221011	40	18	0.75	0.245	0.900-1.050
04.	221012	40	18	0.96	0.290	1.050-1.200
05.	221013	40	18	1.00	0.330	1.200-1.400
06.	221014	40	18	1.21	0.380	1.400-1.600
07.	221015	40	18	1.30	0.440	1.600-1.800
08.	221016	40	18	1.55	0.490	1.800-2.000
09.	221110	50	25	0.85	0.370	1.350-1.450
10.	221111	50	25	0.97	0.460	1.700-1.800
11.	221112	50	25	1.16	0.568	2.600-2.800
12.	221310	75	32	0.97	0.519	2.150-2.450
13.	221410	75	25	0.97	0.519	1.900-2.200
14.	221508	38	14	0.55	0.147	0.500-0.550

INTERLOCK




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	231010	40	18	0.55	0.270	1.000-1.200
02.	231011	40	18	0.70	0.310	1.200-1.400
03.	231012	40	18	0.87	0.460	1.400-1.600
04.	231013	40	18	0.95	0.440	1.600-1.800
05.	231014	40	18	1.30	0.490	1.800-2.000
06.	231110	60	19	0.89	0.520	1.900-2.200

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

TOP BOTTOM SINGLE LEG




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	221508	38	14	0.55	0.147	0.500-0.550


TOP BOTTOM



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	191508	38	14	0.55	0.161	0.550-0.600



Profile Code -231210
Weight(KG)/M -0.520




Profile Code -191611
Weight(KG)/M -0.560

PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

OPPOSITE TOP BOTTOM




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	191508	38	14	0.55	0.161	0.550-0.650
02.	191509	40	20	0.92	0.270	1.000-1.300
03.	191510	40	20	1.16	0.355	1.300-1.400
04.	191511	40	20	1.18	0.380	1.400-1.600
05.	191512	40	20	1.50	0.460	1.700-2.000

CORNERED HANDLE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	201509	40	20	0.72	0.273	1.000-1.300
02.	201510	40	20	0.87	0.382	1.400-1.600
03.	201511	40	20	1.00	0.464	1.700-2.000

CORNERED INTERLOCK



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	231509	40	20	0.75	0.313	1.000-1.400
02.	231510	40	20	0.95	0.380	1.400-1.600
03.	231511	40	20	1.15	0.490	1.800-2.100

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

SLIDING PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

2 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	181010	18	2.000-2.250
02.	181011	18	2.300-2.600
03.	181012	18	2.600-2.900
04.	181013	18	3.000-3.300
05.	181014	18	3.400-3.800
06.	181015	18	3.900-4.300

2 TRACK BOTTOM




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	182010	18	2.100-2.400
02.	182011	18	2.400-2.700
03.	182012	18	2.700-3.000
04.	182013	18	3.000-3.300
05.	182014	18	3.400-3.700
06.	182015	18	3.800-4.000
07.	182016	18	4.000-4.300

GROVED 2 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
01.	181210	18	1.900-2.200
02.	181211	18	2.350-2.500
03.	181212	18	2.500-2.800
04.	181213	18	2.900-3.000
05.	181214	18	3.100-3.400
06.	181215	18	3.500-3.800
07.	181216	18	3.900-4.200
08.	181217	18	4.200-4.500
09.	181218	18	4.500-5.000

GROVED 2 TRACK BOTTOM




Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
01.	181910	18	2.300-2.600
02.	181911	18	2.600-2.900
03.	181912	18	3.000-3.400
04.	181913	18	3.500-3.900
05.	181914	18	4.000-4.400
06.	181915	18	4.500-5.000

FRAMED 2 TRACK TOP



FRAMED 2 TRACK BOTTOM



Profile Code - 181110 Weight/15' (KG)-4.000-4.300	Profile Code - 181111 Weight/15' (KG)-4.300-4.600	Profile Code - 182110 Weight/15' (KG)-4.200-4.500	Profile Code - 182111 Weight/15' (KG)-4.500-4.800

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SLIDING PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

3 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	183010	20	3.000-3.300
02.	183011	20	3.400-3.700
03.	183012	20	3.800-4.000
04.	183013	20	4.000-4.400
05.	183014	20	4.500-5.000
06.	183015	20	5.000-5.500
07.	183016	20	5.550-6.000
08.	183017	20	6.100-6.500

3 TRACK BOTTOM




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	184010	20	3.000-3.300
02.	184011	20	3.400-3.600
03.	184012	20	3.700-4.000
04.	184013	20	4.000-4.400
05.	184014	20	4.500-4.800
06.	184015	20	5.000-5.500
07.	184016	20	5.550-6.000

GROVED 3 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
01.	183210	20	3.200-3.500
02.	183211	20	3.400-3.800
03.	183212	20	3.900-4.300
04.	183213	20	4.500-5.000
05.	183214	20	5.000-5.500
06.	183215	20	5.500-6.000
07.	183216	20	6.100-6.400

GROVED 3 TRACK BOTTOM



Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
01.	184210	20	3.000-3.400
02.	184211	20	3.500-3.900
03.	184212	20	4.000-4.400
04.	184213	20	4.500-4.900
05.	184214	20	5.000-5.500
06.	184215	20	5.550-6.000
07.	184216	20	6.050-6.500

FRAMED 3 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	183110	20	4.800-5.100
02.	183111	20	6.000-6.300


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 501010
Weight(KG)/M -0.680




Profile Code - 502010
Weight(KG)/M -0.900




Profile Code - 503010
Weight(KG)/M -0.740




Profile Code - 504010
Weight(KG)/M -1.080




Profile Code - 505010
Weight(KG)/M -1.17



Profile Code -506010
Weight(KG)/M -1.77




Profile Code -507010
Weight(KG)/M -1.40




Profile Code - 508010
Weight KG /M - 0.976


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026




Profile Code - 366051
Weight KG /M - 1.694




Profile Code - 509010
Weight KG /M - 1.5




Profile Code - 361025
Weight KG /M - 1.56




Profile Code - 366015
Weight KG /M - 0.598




Profile Code - 366074
Weight KG /M - 0.572



Profile Code - 366105
Weight KG /M - 0.160



Profile Code -366689
Weight(KG)/M -1.956




Profile Code -182510
Weight(KG)/M -0.837


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 182610
Weight KG /M - 0.999




Profile Code - 366691
Weight KG /M - 1.034



Profile Code - 366692
Weight KG /M - 0.865



Profile Code - 366693
Weight KG /M - 0.517



Profile Code - 366694
Weight KG /M - 0.526

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

WINDOW GLAZE SHUTTER


ISO 14001:2015 | ISO 9001:2015 | RoHS | IS : 1285 CM/L-8300192411 | IS : 733 CM/L-8300192310

GLASS-Z




Profile Code - 461010
Weight(KG)/M - 0.510

SPL CLIP




Profile Code -244010
Weight/12' (KG) - 0.260-0.290

DOOR FRAME




Profile Code - 471010
Weight(KG)/M - 0.810


DOOR VERTICAL




Profile Code - 472010
Weight(KG)/M - 0.980




Profile Code - 244020
Weight(KG)/M - 0.960



Profile Code - 244015
Weight(KG)/M - 0.130



Profile Code - 451010
Weight(KG)/M - 1.50



Profile Code - 452010
Weight(KG)/M - 1.10

PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

GLASS HOLDING PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

GLAZING CLIP




Sr. No.	Profile Code	T (mm)	Weight/12' (KG)
01.	241009	0.41	0.190-0.210
02.	241010	0.45	0.210-0.230
03.	241011	0.48	0.230-0.250
04.	241012	0.50	0.270-0.300
05.	241013	0.54	0.300-0.330
06.	241014	0.58	0.370-0.400

GLAZING PLATE




Sr. No.	Profile Code	Weight/12' (KG)
01.	242010	0.450-0.500
02.	242011	0.500-0.550
03.	242012	0.550-0.600

SQUARE CLIP



Profile Code - 243011
Weight/12' (KG) - 0.400-0.550




Profile Code - 243015
Weight/12' (KG) - 0.657

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


SOLAR / CLIT ANGLES




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)
01.	411014	41.5	41.5	3.4	0.580
02.	411009	41.5	41.5	3.8	0.660
03.	411015	41.5	41.5	4.2	0.740
04.	411013	41.5	41.5	4.4	0.780
05.	411011	41.5	41.5	4.5	0.800
06.	411010	41.5	41.5	5.0	0.898
07.	411012	41.5	41.5	6.5	1.183




Profile Code - 421010
Weight KG /M - 0.250




Profile Code - 421050
Weight KG /M - 1.160




Profile Code - 321215
Weight KG /M - 2.200



Profile Code - 481012
Weight KG /M - 0.735



Profile Code - 481013
Weight KG /M - 0.788




Profile Code - 411017
Weight KG /M - 0.712

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

3 TRACK DOMAL




Sr. No.	Profile Code	Weight/12' (KG)
01.	361010	4.000-4.400
02.	361011	4.400-4.800
03.	361012	4.800-5.200
04.	361013	5.200-5.600
05.	361014	5.600-6.000


2 TRACK DOMAL



Sr. No.	Profile Code	Weight/15' (KG)
01.	362010	3.000-3.300
02.	362011	3.300-3.700




Profile Code - 361030
Weight(KG)/M - 1.60




Profile Code - 511010
Weight(KG)/M - 1.650

FIX 2 TRACK



Profile Code - 362020
Weight(KG)/M - 1.10

FIX 2 TRACK




Profile Code - 361040
Weight(KG)/M - 0.775


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: 08477897789 | 09415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 361020
Weight(KG)/M - 1.149




Profile Code - 512010
Weight(KG)/M - 1.20




Profile Code - 361023
Weight(KG)/M - 1.410




Profile Code - 362030
Weight(KG)/M - 0.960




Profile Code - 366010
Weight(KG)/M - 0.790



Profile Code - 363017
Weight(KG)/M - 0.730



Profile Code - 363009
Weight(KG)/M - 0.670




Profile Code - 363016
Weight(KG)/M - 0.714

PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 363010
Weight (KG)/M - 0.850


27MM SUTTER



Profile Code - 363012
Weight (KG) /M- 0.900




Profile Code - 363014
Weight/12' (KG) - 2.800-3.100




Profile Code - 364014
Weight (KG)/M - 0.360


I/L PATTI




Profile Code - 364010
Weight (KG)/M - 0.280



Profile Code - 364012
Weight (KG)/M -0.310



Profile Code - 244017
Weight (KG)/M - 0.078




Profile Code - 363015
Weight (KG)/M -0.691


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 363044
Weight (KG) /M- 0.752




Profile Code - 363045
Weight (KG) /M- 0.155




Profile Code - 366079
Weight (KG) /M- 0.221




Profile Code - 366080
Weight (KG) /M- 0.614



Profile Code - 366106
Weight (KG) /M- 0.146



Profile Code - 366111
Weight (KG) /M- 0.769




Profile Code - 366112
Weight (KG) /M- 1.414


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366049
Weight(KG)/M - 0.766




Profile Code - 366050
Weight KG /M - 0.814




Profile Code - 366051
Weight KG /M - 1.694



Profile Code - 366052
Weight KG /M - 0.176




Profile Code - 366107
Weight KG /M - 1.068




Profile Code - 366108
Weight KG /M - 1.494

2 - TRACK




Profile Code - 366637
Weight (KG) /M- 1.050


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026



Profile Code - 366063
Weight KG /M - 0.121



Profile Code - 363030
Weight KG /M - 0.151




Profile Code - 366062
Weight KG /M - 0.173


SATYA

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 363018
Weight KG /M - 0.932



Profile Code - 363019
Weight KG /M - 0.938




Profile Code - 363020
Weight KG /M - 1.035




Profile Code - 363021
Weight KG /M - 0.970

MATTING




Profile Code - 363022
Weight KG /M - 0.262

CENTER SGU




Profile Code - 363023
Weight KG /M - 0.704

CENTER SGU



Profile Code - 363024
Weight KG /M - 0.820

MATTING




Profile Code - 363025
Weight KG /M - 0.294

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SS RAIL ADAPTOR




Profile Code - 363026
Weight KG /M - 0.106

WIRE MESH ADAPTOR




Profile Code - 363027
Weight KG /M - 0.384

WIRE MESH ADAPTOR




Profile Code - 363028
Weight KG /M - 0.300

BOTTOM RAIL V GROOVE




Profile Code - 363030
Weight KG /M - 0.151




Profile Code - 363031
Weight KG /M - 0.104

BOTTOM RAIL U GROOVE




Profile Code - 363032
Weight KG /M - 0.186

INTERLOCK CLIP



Profile Code - 363033
Weight KG /M - 0.309




Profile Code - 363035
Weight KG /M - 0.401


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 363036
Weight KG /M - 1.56




Profile Code - 363037
Weight KG /M - 1.488




Profile Code - 363034
Weight KG /M - 0.726

Slim I/L SGU




Profile Code - 364050
Weight KG /M - 0.692

Slim I/L DGU




Profile Code - 364051
Weight KG /M - 0.635




Profile Code - 366082
Weight KG /M - 0.765

KPA I/L DGU




Profile Code - 364053
Weight KG /M - 1.40

KPA I/L SGU



Profile Code - 364052
Weight KG /M - 1.46

INTERLOCK CLIP




Profile Code - 364014
Weight KG /M - 0.360


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366059
Weight KG /M - 0.595




Profile Code - 366060
Weight KG /M - 0.425




Profile Code - 366061
Weight KG /M - 0.292




Profile Code - 366064
Weight KG /M - 0.594




Profile Code - 366065
Weight KG /M - 0.875



Profile Code - 366066
Weight KG /M - 0.146



Profile Code - 366067
Weight KG /M - 0.905




Profile Code - 366068
Weight KG /M - 1.537


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366075
Weight KG /M - 0.901




Profile Code - 366076
Weight KG /M - 1.449



Profile Code - 366062
Weight KG /M - 0.173



Profile Code - 366063
Weight KG /M - 0.121



SEC. NO. 363023
WEIGHT - 0.704 Kg/M

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

34 MM SERIES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

HOLLOW- Z WITHOUT LEG




Sr. No.	Profile Code	Weight/12' (KG)
01.	251002	2.000-2.300
02.	251003	2.300-2.600

HOLLOW-Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	251010	2.000-2.300
02.	251011	2.300-2.600




Profile Code - 254015
Weight(KG)/M - 0.600

INNER - Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	252010	1.250-1.500
02.	252011	1.500-1.750
03.	252012	2.500-2.700

CASEMENT-Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	253010	3.000-3.400
02.	253011	3.400-3.800

LAME - Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	254010	1.800-2.000
02.	254011	2.000-2.200

MULLION




Sr. No.	Profile Code	Weight/12' (KG)
01.	255010	2.700-3.000
02.	255011	3.000-3.300

MULLION WITH GROVES



Sr. No.	Profile Code	Weight/12' (KG)
01.	256010	2.700-3.000
02.	256011	3.000-3.300
03.	256012	2.500-2.700

OUTER - Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	257010	1.400-1.600
02.	257011	1.600-1.800
03.	257012	1.800-2.000
04.	257013	2.000-2.300


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366063
Weight KG /M - 0.121




Profile Code - 366062
Weight KG /M - 0.173




Profile Code - 366069
Weight KG /M - 1.321




Profile Code - 366070
Weight KG /M - 0.760




Profile Code - 366071
Weight KG /M - 1.345



Profile Code - 366072
Weight KG /M - 1.126



Profile Code - 366083
Weight KG /M - 1.007




Profile Code - 366095
Weight KG /M - 0.410


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 366093
Weight KG /M - 2.207




Profile Code - 366094
Weight KG /M - 1.501

SATYA


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 245010
Weight(KG)/M - 0.250

LAME - Z




Profile Code - 366024
Weight KG /M - 0.670

MULLION




Profile Code - 366020
Weight KG /M - 0.830

HOLLOW - Z




Profile Code - 366022
Weight KG /M - 0.800


OUTER - Z




Profile Code - 366040
Weight KG /M - 0.611



Profile Code - 366042
Weight KG /M - 0.572



Profile Code - 366044
Weight KG /M - 0.796




Profile Code - 366015
Weight KG /M - 0.598


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366049
Weight(KG)/M - 0.766




Profile Code - 366050
Weight KG /M - 0.814




Profile Code - 366051
Weight KG /M - 1.694




Profile Code - 366052
Weight KG /M - 0.176



Profile Code - 366018
Weight KG /M - 0.709




SEC. NO. 245017
WEIGHT - 0.240 Kg/M




Profile Code - 366059
Weight KG /M - 0.595

40MM EXTENDED MULLION



SEC.NO. 363037
WEIGHT - 1.488 Kg/M

40MM EXTENDED OUTER




SEC.NO. 363036
WEIGHT - 1.56 Kg/M

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

OUTER - Z




Profile Code - 366012
Weight KG /M - 0.830

MULLION




Profile Code - 366014
Weight KG /M - 1.00

SHUTTER




Profile Code - 366016
Weight KG /M - 1.34

CLIP




Profile Code - 245014
Weight KG /M - 0.285

FACADE LOUVERS




Profile Code - 366001
Weight KG /M - 0.517

FACADE LOUVERS



Profile Code - 366003
Weight KG /M - 0.333

FACADE LOUVERS




Profile Code - 366004
Weight KG /M - 0.126


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366684
Weight KG /M - 1.433




Profile Code - 366685
Weight KG /M - 0.509


50mm Casement Outer



Profile Code - 366686
Weight KG /M - 0.941




Profile Code - 366687
Weight KG /M - 1.029




Profile Code - 366688
Weight KG /M - 1.292


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026




Profile Code - 245012
Weight KG /M - 0.289




Profile code - 366030
Weight KG /M - 1.05



Profile Code - 366010
Weight KG /M - 0.789




Profile code - 366046
Weight KG /M - 0.694




Profile Code - 245017
Weight KG /M - 0.236

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366159
Weight (KG)/M - 1.377




Profile Code - 366160
Weight (KG)/M - 0.859




Profile Code - 366161
Weight (KG)/M - 1.428




Profile Code - 366162
Weight (KG)/M - 1.872




Profile Code - 366163
Weight (KG)/M - 0.932



Profile Code - 366164
Weight (KG)/M - 0.778



Profile Code - 366165
Weight (KG)/M - 1.181




Profile Code - 366166
Weight (KG)/M - 0.766


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366176
Weight (KG)/M - 1.757




Profile Code - 366177
Weight (KG)/M - 0.155




Profile Code - 366178
Weight (KG)/M - 0.144




Profile Code - 366179
Weight (KG)/M - 0.097



Profile Code - 366180
Weight (KG)/M - 0.161



Profile Code - 366181
Weight (KG)/M - 0.202



Profile Code - 366198
Weight (KG)/M - 0.361

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


SATYA

DOOR WINDOW SECTION


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 366601
Weight (KG)/M - 0.558




Profile Code - 366602
Weight (KG)/M - 0.791



Profile Code - 366603
Weight (KG)/M - 0.114



Profile Code - 366604
Weight (KG)/M - 2.194



Profile Code - 366605
Weight (KG)/M - 3.471

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


SATYA

DOOR WINDOW SECTION


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 366135
Weight KG /M - 0.897




Profile Code - 366136
Weight KG /M - 0.168




Profile Code - 366137
Weight KG /M - 1.026




Profile Code - 366138
Weight KG /M - 0.355




Profile Code - 366141
Weight KG /M - 0.105



Profile Code - 366140
Weight KG /M - 0.098



Profile Code - 366144
Weight KG /M - 1.273




Profile Code - 366142
Weight KG /M - 0.526


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366143
Weight KG /M - 0.189




Profile Code - 366152
Weight KG /M - 0.0089




Profile Code - 366145
Weight KG /M - 0.292




Profile Code - 366146
Weight KG /M - 0.254




Profile Code - 366147
Weight KG /M - 0.205



Profile Code - 366148
Weight KG /M - 0.483



Profile Code - 366150
Weight KG /M - 0.752



Profile Code - 366151
Weight KG /M - 0.736

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


DOOR WINDOW SECTION

SATYA


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 366153
Weight KG /M - 0.828




Profile Code - 366154
Weight KG /M - 0.762




Profile Code - 366155
Weight KG /M - 0.358



Profile Code - 366156
Weight KG /M - 1.122



Profile Code - 366157
Weight KG /M - 1.739




Profile Code - 366158
Weight KG /M - 0.222

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	271010	38	38	1.20	0.536	2.300-2.600
02.	271110	50	50	1.02	0.600	2.700-3.000
03.	271111	50	50	1.20	0.692	3.000-3.300
04.	271112	50	50	1.37	0.780	3.300-3.700
05.	271113	50	50	1.44	0.814	3.700-4.100
06.	271114	50	50	1.64	0.916	4.100-4.500
07.	271115	50	50	1.77	0.982	4.500-5.000
08.	271210	80	50	1.45	1.055	4.500-5.000
09.	271211	80	50	1.75	1.255	5.500-6.000
10.	271212	80	50	1.85	1.321	6.000-6.500
11.	271213	80	50	2.00	1.420	6.500-7.000
12.	271310	100	50	2.00	1.640	7.300-8.000
13.	271311	100	50	2.20	1.800	8.000-8.800

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 272010
Weight KG /M - 1.80




Profile Code - 272020
Weight KG /M - 2.30




Profile Code - 272022
Weight KG /M - 3.00




Profile Code - 273010
Weight KG /M - 1.90




Profile Code - 273014
Weight KG /M - 4.10



Profile Code - 272023
Weight KG /M - 2.51



Profile Code - 271312
Weight KG /M - 1.528




Profile Code - 273017
Weight KG /M - 2.078


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 272024
Weight KG /M - 2.566




Profile Code - 272025
Weight KG /M - 3.602




Profile Code - 272026
Weight KG /M - 2.736




Profile Code - 272027
Weight KG /M - 2.561




Profile Code - 272028
Weight KG /M - 3.766



Profile Code - 272029
Weight KG /M - 2.610



Profile Code - 272030
Weight KG /M - 4.297




Profile Code - 272031
Weight KG /M - 4.101


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 272032
Weight KG /M - 3.272




Profile Code - 273015
Weight KG /M - 2.240




Profile Code - 273016
Weight KG /M - 3.119




Profile Code - 272033
Weight KG /M - 2.562




Profile Code - 272042
Weight KG /M - 1.335



Profile Code - 272043
Weight KG /M - 2.422



Profile Code - 272044
Weight KG /M - 3.600




Profile Code - 272045
Weight KG /M - 1.921


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 273016
Weight KG /M - 3.119




Profile Code - 272056
Weight KG /M - 3.036




Profile Code - 541010
Weight KG /M - 0.520




Profile Code - 541011
Weight KG /M - 0.683




Profile Code - 541012
Weight KG /M - 0.868



Profile Code - 541013
Weight KG /M - 0.614



Profile Code - 542010
Weight KG /M - 0.830




Profile Code - 366197
Weight (KG)/M - 0.286


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 272064
Weight KG /M - 3.574




Profile Code - 366168
Weight KG /M - 1.477


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366182
Weight KG /M - 0.331




Profile Code - 366183
Weight KG /M - 0.470



Profile Code - 366184
Weight KG /M - 0.252



Profile Code - 366185
Weight KG /M - 0.286




Profile Code - 366169
Weight KG /M - 0.424


SATYA

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 272038
Weight KG /M - 3.428




Profile Code - 272039
Weight KG /M - 3.877

PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

FACADE SECTION



Profile Code - 272040
Weight KG /M - 3.422




Profile Code - 272041
Weight KG /M - 3.711


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 272049
Weight KG /M - 4.955



Profile Code - 272050
Weight KG /M - 4.456


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

FACADE SECTION

ISO 14001:2015 | ISO 9001:2015 | RoHS | IS : 1285 CM/L-8300192411 | IS : 733 CM/L-8300192310



Profile Code - 272063
Weight KG /M - 3.415




Profile Code - 272065
Weight KG /M - 3.694


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 272055
Weight KG /M - 2.280




Profile Code - 272062
Weight KG /M - 2.700


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

LOUVER SECTION

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310



Profile Code - 272057
Weight KG /M - 1.467



Profile Code - 272058
Weight KG /M - 2.460

PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

LOUVER SECTION

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

	
Profile Code - 406010 **Weight/12' (KG) - 1.300-1.600**	**Profile Code - 406011** **Weight KG/M - 0.328**

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

LADDER PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

LADDER




Sr. No.	Profile Code	Weight/20' (KG)
01.	351010	2.300-2.800
02.	351011	2.800-3.300
03.	351012	3.300-3.800
04.	351013	3.800-4.300
05.	351014	4.300-4.800
06.	351015	4.800-5.300
07.	351016	5.300-5.800
08.	351017	5.800-6.300


STEP




Sr. No.	Profile Code	Weight/12' (KG)
01.	352010	1.400-1.600
02.	352011	1.600-1.900
03.	352012	1.900-2.200




Profile Code - 353029
Weight KG /M - 0.269




Profile Code - 353028
Weight KG /M - 0.369



Profile Code - 353030
Weight KG /M - 0.521



Profile Code - 353031
Weight KG /M - 0.291




Profile Code - 353032
Weight KG /M - 0.216


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 353033
Weight KG /M - 0.439




Profile Code - 353034
Weight KG /M - 0.321




Profile Code - 335011
Weight(KG)/M - 0.464




Profile Code - 335012
Weight(KG)/M - 0.382




Profile Code - 353035
Weight(KG)/M - 0.615



Profile Code - 353036
Weight(KG)/M - 0.407



Profile Code - 353037
Weight(KG)/M - 0.617



Profile Code - 353038
Weight(KG)/M - 0.575


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

LADDER PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 353039
Weight(KG)/M - 2.402




Profile Code - 353040
Weight(KG)/M - 2.765



Profile Code - 353041
Weight(KG)/M - 3.115



Profile Code - 353042
Weight(KG)/M - 0.778




Profile Code - 352013
Weight(KG)/M - 0.587


SATYA METAL INDUSTRIES PVT.LTD
Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

27 MM SLIDING SERIES


HEXAGONS TUBES




Profile Code - 332020
Weight KG /M - 1.18



Profile Code - 332022
Weight KG /M - 0.880




Profile Code - 332024
Weight KG /M - 1.65




Profile Code - 363040
Weight/12' (KG)-5.550-5.650

TOWER BOLT




Sr. No.	Profile Code	ID(mm)	Weight/12' (KG)
01.	341010	11	0.600-0.650
02.	341011	11.5	0.850-0.900
03.	341012	12.5	1.200-1.300

C - HANDLE




Profile Code - 341210
Weight/12' (KG) - 4.500-4.800

HINGES



Sr. No.	Profile Code	Size(mm)	Weight/12' (KG)
01.	341110	32	0.750-0.780




Profile Code - 431063
Weight Kg/m - 0.294


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 341013
Weight KG /M - 0.188




Profile Code - 341014
Weight KG /M - 0.186




Profile Code - 341015
Weight KG /M - 0.241



Profile Code - 341016
Weight KG /M - 0.348




Profile Code - 341017
Weight./Mtr. (KG)- 0.452




Profile Code - 341018
Weight./Mtr. (KG)- 0.273

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 447010
Weight KG /M - 1.00




Profile Code - 481010
Weight KG /M - 1.30

PHOTO FRAME




Profile Code - 431010
Weight/12' (KG) - 0.350-0.450

PLANE SAMOSA




Profile Code - 403010
Weight/12' (KG) - 6.000-6.500


SAMOSA




Profile Code - 404010
Weight/12' (KG) - 3.300-3.800



Profile Code - 404014
Weight (KG)/M - 0.062



Profile Code - 422010
Weight KG /M - 0.180




Profile Code - 481011
Weight (KG)/M - 0.541


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431011
Weight (KG)/M - 1.668




Profile Code - 431012
Weight (KG)/M - 1.291




Profile Code - 431013
Weight (KG)/M - 0.791




Profile Code - 431014
Weight (KG)/M - 0.158




Profile Code - 431023
Weight (KG)/M - 0.828



Profile Code - 431024
Weight (KG)/M - 0.327



Profile Code - 431025
Weight (KG)/M - 0.146




Profile Code - 431018
Weight (KG)/M - 0.721


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431019
Weight (KG)/M - 1.052




Profile Code - 431020
Weight (KG)/M - 0.115




Profile Code - 431021
Weight (KG)/M - 0.264




Profile Code - 431022
Weight (KG)/M - 0.214




Profile Code - 431015
Weight (KG)/M - 0.290



Profile Code - 431016
Weight (KG)/M - 0.280



Profile Code - 431017
Weight (KG)/M - 0.787




Profile Code - 431026
Weight (KG)/M - 0.212


PREMIUM PROFILES WEIGHT TOLERANCE ± 7 TO 10% REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431027
Weight (KG)/M - 0.335




Profile Code - 431028
Weight (KG)/M - 0.198




Profile Code - 431029
Weight (KG)/M - 0.186




Profile Code - 431030
Weight (KG)/M - 0.822




Profile Code - 431031
Weight (KG)/M - 0.209



Profile Code - 431032
Weight (KG)/M - 0.280



Profile Code - 431033
Weight (KG)/M - 0.762




Profile Code - 431034
Weight (KG)/M - 1.352


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431035
Weight (KG)/M - 0.321




Profile Code - 431036
Weight (KG)/M - 0.389




Profile Code - 431037
Weight (KG)/M - 0.341




Profile Code - 431038
Weight (KG)/M - 0.136




Profile Code - 431039
Weight (KG)/M - 0.924



Profile Code - 431040
Weight (KG)/M - 1.016



Profile Code - 431041
Weight (KG)/M - 0.219




Profile Code - 431042
Weight (KG)/M - 0.847


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431043
Weight (KG)/M - 0.644




Profile Code - 431044
Weight (KG)/M - 0.210




Profile Code - 431045
Weight (KG)/M - 1.052




Profile Code - 431046
Weight (KG)/M - 0.529




Profile Code - 431047
Weight (KG)/M - 0.279



Profile Code - 431048
Weight (KG)/M - 0.445



Profile Code - 431049
Weight (KG)/M - 1.887




Profile Code - 431054
Weight (KG)/M - 0.106


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431055
Weight (KG)/M - 0.548




Profile Code - 431056
Weight (KG)/M - 0.884




Profile Code - 431057
Weight (KG)/M - 0.463




Profile Code - 431067
Weight (KG)/M - 1.442




Profile Code - 431058
Weight (KG)/M - 0.845



Profile Code - 431059
Weight (KG)/M - 0.448



Profile Code - 431060
Weight (KG)/M - 1.456




Profile Code - 431061
Weight (KG)/M - 1.466


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 431062
Weight (KG)/M - 0.500




Profile Code - 431064
Weight (KG)/M - 0.254



Profile Code - 431065
Weight (KG)/M - 0.145




Profile Code - 431066
Weight (KG)/M - 1.362




Profile Code - 431068
Weight (KG)/M - 0.163

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366081
Weight (KG)/M - 0.0875




Profile Code - 452011
Weight (KG)/M - 0.695




Profile Code - 452012
Weight (KG)/M - 0.104




Profile Code - 452014
Weight (KG)/M - 0.343




Profile Code - 452015
Weight (KG)/M - 0.346



Profile Code - 452016
Weight (KG)/M - 0.413



Profile Code - 366086
Weight (KG)/M - 0.368




Profile Code - 366087
Weight (KG)/M - 0.386


PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366090
Weight (KG)/M - 0.470




Profile Code - 366091
Weight (KG)/M - 0.516




Profile Code - 366096
Weight (KG)/M - 0.321




Profile Code - 366101
Weight (KG)/M - 0.420




Profile Code - 366084
Weight (KG)/M - 0.381



Profile Code - 366085
Weight (KG)/M - 0.377



Profile Code - 366110
Weight (KG)/M - 0.452




Profile Code - 366077
Weight KG /M - 0.380


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366078
Weight KG /M - 0.251




Profile Code - 366102
Weight (KG)/M - 0.604




Profile Code - 366104
Weight (KG)/M - 1.165




Profile Code - 366103
Weight (KG)/M - 0.993




Profile Code - 366642
Weight (KG)/M - 0.272



Profile Code - 366643
Weight (KG)/M - 0.347



Profile Code - 366673
Weight (KG)/M - 0.575




Profile Code - 366674
Weight (KG)/M - 0.721


PREMIUM PROFILES	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com



Profile Code - 366149
Weight KG /M - 0.212



Profile Code - 366139
Weight KG /M - 0.822

SATYA

PREMIUM PROFILES | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


SATYA

CONVEYOR PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - IS00228
Weight KG /M - 2.474




Profile Code - IS00229
Weight KG /M - 1.419



Profile Code - IS00230
Weight KG /M - 1.849



Profile Code - IS00231
Weight KG /M - 0.972



Profile Code - 366212
Weight KG /M - 2.628

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


SATYA

SLIM PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 366113
Weight KG /M - 0.789




Profile Code - 366114
Weight KG /M - 0.328




Profile Code - 366115
Weight KG /M - 0.459




Profile Code - 366116
Weight KG /M - 0.166




Profile Code - 366117
Weight KG /M - 0.752



Profile Code - 366118
Weight KG /M - 0.547



Profile Code - 366119
Weight KG /M - 0.139



Profile Code - 366120
Weight KG /M - 0.099


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SLIM PROFILES


IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 366121
Weight KG /M - 1.109




Profile Code - 366122
Weight KG /M - 0.555




Profile Code - 366123
Weight KG /M - 0.209




Profile Code - 366130
Weight KG /M - 0.615




Profile Code - 366131
Weight KG /M - 0.859



Profile Code - 366132
Weight KG /M - 0.479



Profile Code - 366133
Weight KG /M - 0.611




Profile Code - 366134
Weight KG /M - 0.815


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366203
Weight KG /M - 2.747




Profile Code - 366204
Weight KG /M - 5.268




Profile Code - 366205
Weight KG /M - 1.513




Profile Code - 366206
Weight KG /M - 0.616




Profile Code - 366207
Weight KG /M - 1.078



Profile Code - 366208
Weight KG /M - 1.980



Profile Code - 366209
Weight KG /M - 0.512




Profile Code - 366210
Weight KG /M - 0.764


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 366211
Weight KG /M - 2.309



Profile Code - 366213
Weight KG /M - 3.160



WEIGHT Kg/M : 0.322
SEC NO. 366202




SEC NO. 366201
WEIGHT Kg/M : 0.513

SATYA


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com




Profile Code - 3663003
Weight KG /M - 4.080




Profile Code - 3663027
Weight KG /M - 3.748




Profile Code - 3663006
Weight KG /M - 9.275




Profile Code - 3663008
Weight KG /M - 14.644




Profile Code - 3663004
Weight KG /M - 7.766



Profile Code - 3663005
Weight KG /M - 10.428



Profile Code - 3663001
Weight KG /M - 2.723



Profile Code - 3663002
Weight KG /M - 0.511

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

HANGER PROFILES

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310

	
Profile Code - 3663025 **Weight KG /M - 7.136**	**Profile Code - 3663026** **Weight KG /M - 7.271**


ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

MOSQUITO PROFILES


ISO 14001:2015 | ISO 9001:2015 | RoHS | IS : 1285 CM/L-8300192411 | IS : 733 CM/L-8300192310




Profile Code - 366401
Weight KG /M - 0.318




Profile Code - 366402
Weight KG /M - 0.526




Profile Code - 366403
Weight KG /M - 0.358




Profile Code - 366404
Weight KG /M - 0.307




Profile Code - 366405
Weight KG /M - 0.306



Profile Code - 366406
Weight KG /M - 0.350



Profile Code - 366407
Weight KG /M - 0.282



Profile Code - 366408
Weight KG /M - 0.314

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com


SATYA

MOSQUITO PROFILES

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310




Profile Code - 366409
Weight KG /M - 0.415




Profile Code - 366410
Weight KG /M - 0.339

AC GRILL PROFILES



Profile Code - 404015
Weight KG /M - 0.101



Profile Code - 404016
Weight KG /M - 0.063

ALL DIMENSIONS ARE IN MM	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

DOOR WINDOW SECTION

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310



Not to be sold without permission	WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

DOOR WINDOW SECTION

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310



Not to be sold without permission | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

OUR CAPABILITIES

ISO 14001:2015 | ISO 9001:2015 | RoHS | IS : 1285 CM/L-8300192411 | IS : 733 CM/L-8300192310



Not to be sold without permission | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

OUR CAPABILITIES

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310



Not to be sold without permission | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com

SATYA

OUR CAPABILITIES

IS : 1285 CM/L-8300192411 IS : 733 CM/L-8300192310



Not to be sold without permission | WEIGHT TOLERANCE ± 7 TO 10% | REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com |Website : www.satyametal.com