


RECTANGULAR TUBES



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	291422	25	19	2.00	0.432	1.550-1.600
02.	291007	35	18	1.90	0.504	1.840-2.200
03.	291008	35	22	0.46	0.150	0.500-0.600
04.	290910	33	25	0.80	0.232	0.850-0.950
05.	291009	38	25	0.45	0.164	0.600-0.700
06.	291010	38	25	0.60	0.205	0.700-0.800
07.	291011	38	25	0.75	0.246	0.900-1.000
08.	291012	38	25	0.90	0.286	1.050-1.200
09.	291013	38	25	1.00	0.327	1.200-1.350
10.	291014	38	25	1.25	0.368	1.350-1.500
11.	291015	38	25	1.35	0.409	1.500-1.750
12.	291016	38	25	1.55	0.478	1.750-2.000
13.	291017	38	25	1.75	0.546	2.000-2.300
14.	291020	40	20	1.80	0.548	1.900-2.100
15.	291106	45	22	0.48	0.170	0.600-0.700
16.	291107	50	25	0.50	0.200	0.700-0.800
17.	291108	50	25	0.58	0.230	0.800-0.900
18.	291109	50	25	0.60	0.245	0.900-1.000
19.	291110	50	25	0.75	0.273	1.000-1.200
20.	291111	50	25	0.90	0.355	1.200-1.350
21.	291112	50	25	1.00	0.368	1.350-1.500
22.	291113	50	25	1.25	0.409	1.500-1.750
23.	291114	50	25	1.35	0.478	1.750-2.000
24.	291115	50	25	1.50	0.546	2.000-2.300
25.	291116	50	25	1.92	0.741	2.700-3.000
26.	291117	50	25	2.85	1.066	3.900-4.200
27.	291423	51.4	30	2.50	1.031	3.700-4.000
28.	291210	63	25	0.85	0.355	1.100-1.300
29.	291211	63	25	1.00	0.409	1.500-1.700
30.	291308	55	35	0.55	0.264	0.900-1.100
31.	291309	60	35	0.55	0.328	1.200-1.400
32.	291310	63	38	0.55	0.341	1.250-1.400
33.	291311	63	38	0.70	0.382	1.400-1.550
34.	291312	63	38	0.85	0.423	1.550-1.750
35.	291313	63	38	0.95	0.508	1.750-2.000


PREMIUM PROFILES


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

RECTANGULAR TUBES



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
35.	291314	63	38	1.15	0.546	2.000-2.300
36.	291315	63	38	1.30	0.628	2.300-2.600
37.	291316	63	38	1.45	0.710	2.600-3.000
38.	291317	63	38	1.97	1.033	3.700-4.000
39.	291318	63	38	2.70	1.394	5.000-5.300
40.	291325	70	20	2.00	0.928	3.200-3.500
41.	291416	75	12	2.10	0.940	3.400-3.700
42.	291415	75	18	2.00	0.961	3.500-3.700
43.	291410	75	25	0.75	0.478	1.750-2.000
44.	291411	75	25	0.90	0.546	2.000-2.300
45.	291412	75	25	2.00	1.000	3.700-3.900
46.	291419	75	50	4.00	2.518	9.000-9.600
47.	291413	80	50	2.00	1.380	5.000-5.500
48.	291414	80	50	3.00	1.960	7.200-7.800
49.	291510	100	25	1.10	0.601	2.200-2.400
50.	291511	100	25	1.15	0.655	2.400-2.700
51.	291512	100	25	1.30	0.737	2.700-3.000
52.	291425	100	25	1.50	0.968	3.400-3.800
53.	291610	100	44	1.30	1.229	4.500-5.000
54.	291611	100	50	1.95	1.540	5.640-7.640
55.	291420	100	50	4.00	3.058	10.90-11.60
56.	291417	150	25	2.00	1.846	6.700-7.200
57.	291418	150	50	2.00	2.116	7.600-8.200
58.	291426	150	75	2.00	2.386	8.500-9.000
59.	291421	200	50	2.50	3.310	12.05-12.65
60.	291422	200	100	2.50	3.980	14.00-15.00
61.	291424	200	100	4.00	6.305	23.00-23.80



PREMIUM PROFILES


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

L TUBE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	381008	38	25	0.70	0.233	1.000-1.125
02.	381009	38	25	0.80	0.265	1.125-1.300
03.	381010	38	25	0.92	0.304	1.300-1.600
04.	381011	38	25	1.13	0.370	1.600-1.900
05.	381012	38	25	1.30	0.424	1.900-2.200
06.	381110	50	25	0.85	0.336	1.400-1.800
07.	381111	50	25	1.08	0.425	1.800-2.200
08.	381209	50	38	0.72	0.340	1.500-1.600
09.	381210	50	38	0.80	0.373	1.700-2.100

DGC



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	281010	19	9.50	0.60	0.270	0.250-0.350
02.	281011	19	9.50	1.00	0.111	0.350-0.450
03.	281110	22	11.0	0.70	0.100	0.350-0.450
04.	281111	22	11.0	0.95	0.134	0.450-0.550
05.	281210	25	12.0	0.55	0.088	0.250-0.350
06.	281211	25	12.0	0.65	0.104	0.350-0.450
07.	281212	25	12.0	0.80	0.130	0.450-0.550
08.	281213	25	12.0	1.10	0.171	0.550-0.650
09.	281214	25	12.0	1.18	0.183	0.650-0.750
10.	281215	25	12.0	1.42	0.220	0.750-0.850
11.	281310	32	12.0	0.70	0.124	0.450-0.550
12.	281311	32	12.0	0.85	0.150	0.550-0.650
13.	281410	38	15.0	0.80	0.174	0.550-0.650
14.	281411	38	15.0	0.90	0.195	0.650-0.750



PREMIUM PROFILES


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

SQUARE TUBE



Sr. No.	Profile Code	A (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	310911	12.00	1.20	0.140	0.450-0.600
02.	311009	19.00	0.65	0.130	0.450-0.650
03.	311010	19.00	0.95	0.187	0.650-0.850
04.	311011	19.00	1.25	0.237	0.850-1.000
05.	311012	19.00	2.00	0.378	1.300-1.500
06.	311110	23.00	0.65	0.160	0.450-0.600
07.	311111	23.00	0.70	0.168	0.600-0.750
08.	311112	23.00	0.90	0.215	0.750-0.900
09.	311113	23.00	1.15	0.271	0.900-1.050
10.	311210	25.00	1.00	0.260	0.900-1.050
11.	311211	25.00	1.15	0.300	1.050-1.200
12.	311212	25.00	1.30	0.333	1.200-1.400
13.	311213	25.00	1.52	0.385	1.400-1.700
14.	311214	25.00	1.87	0.470	1.700-2.000
15.	311215	25.00	2.30	0.563	2.000-2.400
16.	311216	25.00	2.80	0.671	2.400-2.700
17.	311217	35.00	2.00	0.712	2.500-2.700
18.	311410	38.00	1.00	0.400	1.400-1.600
19.	311411	38.00	1.13	0.450	1.600-2.000
20.	311412	38.00	1.42	0.560	2.000-2.400
21.	311413	38.00	1.70	0.666	2.400-2.700
22.	311724	38.00	2.00	0.777	2.750-3.200
23.	311726	38.00	3.00	1.134	4.050-4.500
24.	311721	40.00	2.00	0.821	2.900-3.300
25.	311310	50.00	1.30	0.684	2.400-2.700
26.	311311	50.00	1.42	0.745	2.700-3.000
27.	311312	50.00	1.60	0.840	3.000-3.500
28.	311313	50.00	1.90	0.987	3.500-4.000
29.	311314	50.00	2.15	1.111	4.000-4.500
30.	311315	50.00	2.40	1.233	4.500-5.000
31.	311317	50.00	3.00	1.500	5.500-6.700
32.	311725	50.00	4.00	1.987	7.172-7.672
33.	311719	60.00	4.00	2.419	8.550 - 9.150


PREMIUM PROFILES


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

SQUARE TUBE




Sr. No.	Profile Code	A (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
33.	311414	64.00	4.00	2.600	9.300-9.800
34.	311514	70.00	4.00	2.851	10.300-10.800
35.	311720	72.0	2.00	1.511	5.400-5.850
36.	311614	75.00	3.00	2.330	8.500-10.000
37.	311714	87.00	4.00	3.585	13.000-13.500
38.	311715	100.0	2.00	2.116	7.700-8.000
39.	311716	100.0	3.00	3.142	11.450-11.700
40.	311717	150.0	3.00	4.762	17.350-17.800
41.	311718	200.0	3.00	6.382	23.250-23.600

OVAL TUBE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Wt/mtr (KG)
71.	301101	21.45	13.70	3.03	0.396
72.	301102	24.40	15.65	3.50	0.520
73.	301103	27.44	17.32	3.92	0.647
74.	301104	33.20	21.34	4.72	0.957
75.	301105	35.92	22.87	4.87	1.085



Profile Code - 311723
Weight(KG)/M -1.469



PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW

A - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	392010	23.3	40	0.65	0.800-1.000

C - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	397010	23	24	1.00	0.700-850

F - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	394009	15	25	0.85	0.400-0.500
02.	394010	15	25	1.00	0.500-0.600

G - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	391010	40	40	1.80	2.100-2.300
02.	391011	40	40	2.00	2.300-2.500



PREMIUM PROFILES



WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW


Y - CHANNEL

H - CHANNEL

Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)	Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	395009	10	30	0.85	0.400-0.500	01.	396010	10	30	0.80	0.500-0.600
02.	395010	10	30	1.00	0.500-0.600						


U - CHANNEL


Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	393040	09	09	1.00	0.180-0.250
02.	393030	12	09	1.00	0.350-0.500
03.	393050	12	12	0.72	0.250-0.300
04.	393010	23	18	1.00	0.500-0.650
05.	393020	32	16	1.00	0.750-0.900
06.	393041	22	75	3.00	4.900-5.200
07.	393052	30.0	20.0	2.00	1.300-1.550
08.	393042	67	53	2.50	4.200-4.500
09.	393043	22	18.5	1.00	0.530-0.600
10.	393051	60.0	60.0	4.00	4.380-4.730
11.	393044	101.6	50.8	6.35	11.950-12.250
12.	393045	101.6	41.8	6.68	11.300-11.600
13.	393046	127.2	47.8	8.00	16.300-16.800
14.	393047	152.4	51.6	8.10	19.100-19.600
15.	393048	177.8	58.4	9.98	27.000-27.600
16.	393053	177.0	76.0	6.79	24.300-24.900
17.	393049	203.2	65.0	11.85	36.200-36.800


PREMIUM PROFILES
WEIGHT TOLERANCE $\pm$ 7 TO 10%
REVISED ON DATE - 01/09/2026
SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

EQUAL ANGLE




Sr.No.	Profile Code	A (mm)	A (mm)	T (mm)	Weight/12' (KG)
01.	320810	12	12	1.61	0.350-0.450
02.	320910	19	19	1.25	0.450-0.550
03.	321416	19	19	2.00	0.650-0.850
04.	321009	19	19	2.17	0.750-0.900
05.	321010	19	19	2.80	0.900-1.000
06.	321110	25	25	0.80	0.300-0.450
07.	321111	25	25	1.00	0.450-0.600
08.	321112	25	25	1.30	0.600-0.800
09.	321113	25	25	1.80	0.800-1.000
10.	321114	25	25	2.15	1.000-1.200
11.	321130	32	32	5.00	2.850-3.000
12.	321310	38	38	2.80	2.000-2.300
13.	321410	50	50	3.00	2.800-3.000
14.	321415	50	50	6.00	5.500-5.850
15.	321411	50.8	50.8	4.78	4.500-4.750
16.	321414	60	60	2.00	2.300-2.500
17.	321417	75	75	6.00	8.450-8.700

UNEQUAL ANGLE




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	321209	38	18	2.00	1.000-1.150
02.	321210	38	25	2.20	1.300-1.500
03.	321211	38	25	2.55	1.500-1.700
04.	321212	38	25	3.00	1.700-1.900
05.	321213	38	25	3.30	1.900-2.100
06.	363040	80	20	6.00	5.550-5.650

PLANE TEE



Sr.No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	371010	19	19	0.300-0.500
02.	371011	19	19	0.500-0.650
03.	371110	25	25	0.450-0.600
04.	371111	25	25	0.600-0.800
05.	371210	38	25	0.600-0.800
06.	371211	38	25	0.800-1.000
07.	371213	38	25	1.000-1.200
08.	371214	38	38	1.400-1.700

BULB TEE



Sr.No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	372011	25	25	0.450-0.500
02.	372110	38	25	0.700-0.800
03.	372111	38	25	0.800-1.000

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

ROUND TUBES



Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	300610	6.0	4.00	1.00	0.042	0.150-0.200
02.	302066	7.0	5.0	1.0	0.050	0.170-0.230
03.	300710	8.0	6.00	1.00	0.059	0.200-0.250
04.	300711	8.0	5.00	1.50	0.083	0.280-0.330
05.	300713	8.0	3.50	2.50	0.127	0.464-0.480
06.	302065	9.0	7.20	0.90	0.061	0.210-0.270
07.	300810	9.5	6.50	1.50	0.102	0.350-0.400
08.	302068	9.5	7.3	1.1	0.078	0.270-0.330
09.	302033	12.0	8.0	2.0	0.170	0.570-0.720
10.	302067	12.0	9.5	1.25	0.113	0.400-0.500
11.	300910	12.0	10.2	0.90	0.084	0.300-0.350
12.	300911	12.5	9.80	1.35	0.127	0.400-0.450
13.	300912	12.7	7.60	2.55	0.220	0.800-0.850
14.	302030	15.0	12.0	1.50	0.171	0.620-0.720
15.	302034	15.88	13.68	1.10	0.137	0.450-0.600
16.	302031	16.0	10.0	3.00	0.331	1.210-1.310
17.	302032	16.0	12.0	2.00	0.238	0.840-0.930
18.	302050	17.9	15.1	1.40	0.196	0.680-0.760
19.	302059	18.0	16.0	1.00	0.144	0.500-0.620
20.	301010	19.0	17.5	0.75	0.123	0.450-0.500
21.	301011	19.0	17.0	1.00	0.164	0.550-0.600
22.	301012	19.0	16.6	1.20	0.181	0.650-0.700
23.	301013	19.0	16.2	1.40	0.209	0.700-0.750
24.	301014	19.0	15.8	1.60	0.236	0.750-0.800
25.	301015	19.0	15.4	1.80	0.262	0.800-0.900
26.	301016	19.0	15.3	1.85	0.270	0.900-1.000
27.	302032	21.0	18.0	1.50	0.248	0.900-1.000
28.	301810	22.0	20.4	0.80	0.144	0.500-0.600
29.	302060	22.0	20.0	1.00	0.178	0.630-0.750
30.	301811	22.0	19.0	1.50	0.261	0.900-1.000
31.	301107	24.0	22.6	0.70	0.138	0.500-0.600
32.	301108	25.0	23.3	0.85	0.174	0.600-0.700
33.	301109	25.0	23.0	1.00	0.203	0.700-0.750
34.	301110	25.0	22.6	1.20	0.242	0.800-0.900
35.	301111	25.0	22.3	1.35	0.271	0.900-1.000
36.	301112	25.0	21.7	1.65	0.330	1.000-1.250
36.	301113	25.0	21.5	1.75	0.345	1.250-1.500
37.	301114	25.0	22.4	2.30	0.443	1.500-1.750


PREMIUM PROFILES


 WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

ROUND TUBES




Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
38	301115	25.0	19.6	2.70	0.510	1.750-2.000
39	302054	25.0	13.2	5.90	0.955	3.450-3.700
40	302070	26.0	10.5	7.75	1.199	4.370-4.550
41	302069	26.6	22.3	2.15	0.445	1.610-1.810
42	301410	30.0	26.0	2.00	0.475	1.700-1.900
43	302035	30.0	24.0	3.00	0.687	2.480-2.600
44	301309	31.5	29.6	0.95	0.246	0.800-1.000
45	301310	31.0	28.0	1.50	0.380	1.400-1.900
46	302052	32.0	25.7	3.15	0.770	2.770-2.900
47	302056	35.0	32.0	1.50	0.426	1.500-1.750
48	302063	35.0	31.6	1.70	0.480	1.700-1.900
49	301510	35.0	31.0	2.00	0.559	2.000-2.200
50	301210	38.0	36.3	0.85	0.270	0.900-1.100
51	302061	38.0	35.0	1.50	0.465	1.660-1.860
52	302036	38.0	34.8	1.60	0.493	1.770-1.900
53	302037	38.0	34.0	2.00	0.610	2.200-2.330
54	302053	38.0	32.0	3.00	0.770	2.750-2.950
55	301610	40.0	36.0	2.00	0.644	2.300-2.500
56	301910	42.0	38.6	1.70	0.581	2.000-2.200
57	302038	44.0	38.0	3.00	1.043	3.790-3.900
58	301710	45.0	41.0	2.00	0.730	2.500-2.700
59	302029	46.0	42.0	2.00	0.746	2.650-2.900
60	302055	50.0	47.0	1.50	0.617	2.200-2.500
61	301950	50.0	46.0	2.00	0.814	2.800-3.200
62	302049	50.0	25.0	12.5	3.976	14.50-14.80
63	301715	50.5	46.1	2.20	0.900	3.200-3.600
64	302010	60.0	54.0	3.00	1.450	5.200-5.400
65	302039	60.0	50.0	5.00	2.332	8.500-8.650
66	302062	62.0	32.0	15.0	5.980	21.70-22.50
67	302011	63.0	57.0	3.00	1.527	5.400-5.650
68	302012	75.0	70.0	2.50	1.537	5.500-5.700
69	302040	75.0	71.0	2.00	1.238	4.500-4.650


PREMIUM PROFILES
WEIGHT TOLERANCE ± 7 TO 10%
REVISED ON DATE - 01/09/2026
SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

ROUND TUBES




Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
70	302071	76.2	61.4	7.4	4.318	15.76-15.86
71	302057	80.0	76.0	2.00	1.323	4.800-5.050
72	302041	88.0	82.0	3.00	2.162	7.880-8.020
73	302013	100.0	95.0	2.50	2.070	7.450-7.576
74	302042	100	90.0	5.00	4.029	14.70-14.85
75	302043	127	121.0	3.00	3.115	11.30-11.60
76	302044	127	123.0	2.00	2.120	7.700-7.850
77	302045	150.0	145.0	2.50	3.127	11.35-11.60
78	302046	150.0	138.0	6.00	7.328	26.75-27.25
79	302047	140.0	127.0	6.50	7.360	26.85-27.35
80	302048	114.0	101.0	6.50	5.926	21.60-22.00

FLUTED ROUND PIPE



S.r No.	Profile Code	OD (mm)	ID (mm)	T (mm)	Weight/12' (KG)
01.	332011	24	22.4	0.8	0.550-0.600
02.	332010	25	22.0	1.5	1.200-1.500
03.	335012	25.0	20.0	2.5	1.380-1.600
04.	333010	50.5	45.85	1.5	2.700-2.950
05.	335010	50.0	46.0	2.0	2.475-2.675



S.r No.	Profile Code	OD (mm)	ID (mm)	T (mm)	Weight/12' (KG)
01.	354001	39	37.5	0.75	0.950-1.000



PREMIUM PROFILES

WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/09/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com