


## RECTANGULAR TUBES



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	291422	25	19	2.00	0.432	1.550-1.600
02.	291007	35	18	1.90	0.504	1.840-2.200
03.	291008	35	22	0.46	0.150	0.500-0.600
04.	290910	33	25	0.80	0.232	0.850-0.950
05.	291009	38	25	0.45	0.164	0.600-0.700
06.	291010	38	25	0.60	0.205	0.700-0.800
07.	291011	38	25	0.75	0.246	0.900-1.000
08.	291012	38	25	0.90	0.286	1.050-1.200
09.	291013	38	25	1.00	0.327	1.200-1.350
10.	291014	38	25	1.25	0.368	1.350-1.500
11.	291015	38	25	1.35	0.409	1.500-1.750
12.	291016	38	25	1.55	0.478	1.750-2.000
13.	291017	38	25	1.75	0.546	2.000-2.300
14.	291020	40	20	1.80	0.548	1.900-2.100
15.	291106	45	22	0.48	0.170	0.600-0.700
16.	291107	50	25	0.50	0.200	0.700-0.800
17.	291108	50	25	0.58	0.230	0.800-0.900
18.	291109	50	25	0.60	0.245	0.900-1.000
19.	291110	50	25	0.75	0.273	1.000-1.200
20.	291111	50	25	0.90	0.355	1.200-1.350
21.	291112	50	25	1.00	0.368	1.350-1.500
22.	291113	50	25	1.25	0.409	1.500-1.750
23.	291114	50	25	1.35	0.478	1.750-2.000
24.	291115	50	25	1.50	0.546	2.000-2.300
25.	291116	50	25	1.92	0.741	2.700-3.000
26.	291117	50	25	2.85	1.066	3.900-4.200
27.	291210	63	25	0.85	0.355	1.100-1.300
28.	291211	63	25	1.00	0.409	1.500-1.700
29.	291308	55	35	0.55	0.264	0.900-1.100
30.	291309	60	35	0.55	0.328	1.200-1.400
31.	291310	63	38	0.55	0.341	1.250-1.400
32.	291311	63	38	0.70	0.382	1.400-1.550
33.	291312	63	38	0.85	0.423	1.550-1.750
34.	291313	63	38	0.95	0.508	1.750-2.000
35.	291314	63	38	1.15	0.546	2.000-2.300


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm$  7 TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

**RECTANGULAR TUBES**


Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
35.	291315	63	38	1.30	0.628	2.300-2.600
36.	291316	63	38	1.45	0.710	2.600-3.000
37.	291317	63	38	1.97	1.033	3.700-4.000
38.	291318	63	38	2.70	1.394	5.000-5.300
39.	291325	70	20	2.00	0.928	3.200-3.500
40.	291416	75	12	2.10	0.940	3.400-3.700
41.	291415	75	18	2.00	0.961	3.500-3.700
42.	291410	75	25	0.75	0.478	1.750-2.000
43.	291411	75	25	0.90	0.546	2.000-2.300
44.	291412	75	25	2.00	1.000	3.700-3.900
45.	291419	75	50	4.00	2.518	9.000-9.600
46.	291413	80	50	2.00	1.380	5.000-5.500
47.	291414	80	50	3.00	1.960	7.200-7.800
48.	291510	100	25	1.10	0.601	2.200-2.400
49.	291511	100	25	1.15	0.655	2.400-2.700
50.	291512	100	25	1.30	0.737	2.700-3.000
51.	291610	100	44	1.30	1.229	4.500-5.000
52.	291611	100	50	1.95	1.540	5.640-7.640
53.	291420	100	50	4.00	3.058	10.90-11.60
54.	291417	150	25	2.00	1.846	6.700-7.200
55.	291418	150	50	2.00	2.116	7.600-8.200
56.	291421	200	50	2.50	3.310	12.05-12.65
57.						


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE  $\pm$  7 TO 10%


REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

**L TUBE**


Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	<b>381008</b>	38	25	0.70	0.233	1.000-1.125
02.	<b>381009</b>	38	25	0.80	0.265	1.125-1.300
03.	381010	38	25	0.92	0.304	1.300-1.600
04.	381011	38	25	1.13	0.370	1.600-1.900
05.	381012	38	25	1.30	0.424	1.900-2.200
06.	381110	50	25	0.85	0.336	1.400-1.800
07.	381111	50	25	1.08	0.425	1.800-2.200
08.	381209	50	38	0.72	0.340	1.500-1.600
09.	381210	50	38	0.80	0.373	1.700-2.100


 **PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## SQUARE TUBE



Sr. No.	Profile Code	A (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	310911	12.00	1.20	0.140	0.450-0.600
02.	311009	19.00	1.32	0.130	0.450-0.650
03.	311010	19.00	1.65	0.187	0.650-0.850
04.	311011	19.00	1.95	0.237	0.850-1.000
05.	311012	19.00	2.87	0.378	1.300-1.500
06.	<b>311110</b>	23.00	0.65	0.160	0.450-0.600
07.	311111	23.00	0.70	0.168	0.600-0.750
08.	311112	23.00	0.90	0.215	0.750-0.900
09.	311113	23.00	1.15	0.271	0.900-1.050
10.	311210	25.00	1.00	0.260	0.900-1.050
11.	311211	25.00	1.15	0.300	1.050-1.200
12.	311212	25.00	1.30	0.333	1.200-1.400
13.	311213	25.00	1.52	0.385	1.400-1.700
14.	311214	25.00	1.87	0.470	1.700-2.000
15.	311215	25.00	2.30	0.563	2.000-2.400
16.	311216	25.00	2.80	0.671	2.400-2.700
17.	311217	35.00	2.00	0.712	2.500-2.700
18.	311410	38.00	1.00	0.400	1.400-1.600
19.	311411	38.00	1.13	0.450	1.600-2.000
20.	311412	38.00	1.42	0.560	2.000-2.400
21.	311413	38.00	1.70	0.666	2.400-2.700
22.	311310	50.00	1.30	0.684	2.400-2.700
23.	311311	50.00	1.42	0.745	2.700-3.000
24.	311312	50.00	1.60	0.840	3.000-3.500
25.	311313	50.00	1.90	0.987	3.500-4.000
26.	311314	50.00	2.15	1.111	4.000-4.500
27.	311315	50.00	2.40	1.233	4.500-5.000
28.	311317	50.00	3.00	1.500	5.500-6.700
29.	311719	60.00	4.00	2.419	8.550 - 9.150
30.	311414	64.00	4.00	2.600	9.300-9.800
31.	311514	70.00	4.00	2.851	10.300-10.800
32.	311614	75.00	3.00	2.330	8.500-10.000
33.	311714	87.00	4.00	3.585	13.000-13.500
34.	311715	100.0	2.00	2.116	7.700-8.000
35.	311716	100.0	3.00	3.142	11.450-11.700
36.	311717	150.0	3.00	4.762	17.350-17.800
37.	311718	200.0	3.00	6.382	23.250-23.600

 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


## EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW

### A - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	392010	23.3	40	0.65	0.800-1.000

### C - CHANNEL




Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	397010	23	24	1.00	0.700-850

### F - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	394009	15	25	0.85	0.400-0.500
02.	394010	15	25	1.00	0.500-0.600

### G - CHANNEL



Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	391010	40	40	1.80	2.100-2.300
02.	391011	40	40	2.00	2.300-2.500

 **PREMIUM PROFILES**



WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


## EXTRUDED ALUMINIUM PROFILE OTHER THEN HOLLOW


**Y - CHANNEL**

**H - CHANNEL**

Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)	Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	395009	10	30	0.85	0.400-0.500	01.	396010	10	30	0.80	0.500-0.600
02.	395010	10	30	1.00	0.500-0.600						

**U - CHANNEL**


Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	393040	09	09	1.00	0.180-0.250
02.	393030	12	09	1.00	0.350-0.500
03.	393050	12	12	0.72	0.250-0.300
04.	393010	23	18	1.00	0.500-0.650
05.	393020	32	16	1.00	0.750-0.900
06.	393041	22	75	3.00	4.900-5.200
07.	393042	67	53	2.50	4.200-4.500
08.	393043	22	18.5	1.00	0.530-0.600
09.	393044	101.6	50.8	6.35	11.950-12.00


**DGC**

Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	281010	19	9.50	0.60	0.270	0.250-0.350
02.	281011	19	9.50	1.00	0.111	0.350-0.450
03.	281110	22	11.0	0.70	0.100	0.350-0.450
04.	281111	22	11.0	0.95	0.134	0.450-0.550
05.	281210	25	12.0	0.55	0.088	0.250-0.350
06.	281211	25	12.0	0.65	0.104	0.350-0.450
07.	281212	25	12.0	0.80	0.130	0.450-0.550
08.	281213	25	12.0	1.10	0.171	0.550-0.650
09.	281214	25	12.0	1.18	0.183	0.650-0.750
10.	281215	25	12.0	1.42	0.220	0.750-0.850
11.	281310	32	12.0	0.70	0.124	0.450-0.550
12.	281311	32	12.0	0.85	0.150	0.550-0.650
13.	281410	38	15.0	0.80	0.174	0.550-0.650
14.	281411	38	15.0	0.90	0.195	0.650-0.750


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

**EQUAL ANGLE**



Sr.No.	Profile Code	A (mm)	A (mm)	T (mm)	Weight/12' (KG)
01.	320810	12	12	1.61	0.350-0.450
02.	320910	19	19	1.25	0.450-0.550
03.	321416	19	19	2.00	0.650-0.850
04.	321009	19	19	2.17	0.750-0.900
05.	321010	19	19	2.80	0.900-1.000
06.	321110	25	25	0.80	0.300-0.450
07.	321111	25	25	1.00	0.450-0.600
08.	321112	25	25	1.30	0.600-0.800
09.	321113	25	25	1.80	0.800-1.000
10.	321114	25	25	2.15	1.000-1.200
11.	321130	32	32	5.00	2.850-3.000
12.	321310	38	38	2.80	2.000-2.300
13.	321410	50	50	3.00	2.800-3.000
14.	321415	50	50	6.00	5.500-5.850
15.	321411	50.8	50.8	4.78	4.500-4.750
16.	321414	60	60	2.00	2.300-2.500
17.	321417	75	75	6.00	8.450-8.700

**UNEQUAL ANGLE**


Sr.No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight/12' (KG)
01.	321209	38	18	2.00	1.000-1.150
02.	321210	38	25	2.20	1.300-1.500
03.	321211	38	25	2.55	1.500-1.700
04.	321212	38	25	3.00	1.700-1.900
05.	321213	38	25	3.30	1.900-2.100
06.	363040	80	20	6.00	5.550-5.650

**PLANE TEE**


Sr.No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	371010	19	19	0.300-0.500
02.	371011	19	19	0.500-0.650
03.	371110	25	25	0.450-0.600
04.	371111	25	25	0.600-0.800
05.	371210	38	25	0.600-0.800
06.	371211	38	25	0.800-1.000
07.	371213	38	25	1.000-1.200
08.	371214	38	38	1.400-1.700

**BULB TEE**


Sr.No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	372011	25	25	0.450-0.500
02.	372110	38	25	0.700-0.800
03.	372111	38	25	0.800-1.000


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

**ROUND TUBES**


Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	300610	6.0	4.00	1.00	0.042	0.150-0.200
02.	300710	8.0	6.00	1.00	0.059	0.200-0.250
03.	300711	8.0	5.00	1.50	0.083	0.280-0.330
04.	300713	8.0	3.50	2.50	0.127	0.464-0.480
05.	300810	9.5	6.50	1.50	0.102	0.350-0.400
06.	302033	12	8.0	2.0	0.170	0.570-0.720
07.	300910	12.0	10.2	0.90	0.084	0.300-0.350
08.	300911	12.5	9.80	1.35	0.127	0.400-0.450
09.	300912	12.7	7.60	2.55	0.220	0.800-0.850
10.	302030	15.0	12.0	1.50	0.171	0.620-0.720
11.	302034	15.88	13.68	1.10	0.137	0.450-0.600
12.	302031	16.0	10.0	3.00	0.331	1.210-1.310
13.	302032	16.0	11.0	2.00	0.238	0.840-0.930
14.	302050	17.9	15.1	1.40	0.196	0.680-0.760
15.	301010	19.0	17.5	0.75	0.123	0.450-0.500
16.	301011	19.0	17.0	1.00	0.164	0.550-0.600
17.	301012	19.0	16.6	1.20	0.181	0.650-0.700
18.	301013	19.0	16.2	1.40	0.209	0.700-0.750
19.	301014	19.0	15.8	1.60	0.236	0.750-0.800
20.	301015	19.0	15.4	1.80	0.262	0.800-0.900
21.	301016	19.0	15.3	1.85	0.270	0.900-1.000
22.	302032	21.0	18.0	1.50	0.248	0.900-1.000
23.	301810	22.0	20.4	0.80	0.144	0.500-0.600
24.	301811	22.0	19.0	1.50	0.261	0.900-1.000
25.	301107	24.0	22.6	0.70	0.138	0.500-0.600
26.	301108	25.0	23.3	0.85	0.174	0.600-0.700
27.	301109	25.0	23.0	1.00	0.203	0.700-0.750
28.	301110	25.0	22.6	1.20	0.242	0.800-0.900
29.	301111	25.0	22.3	1.35	0.271	0.900-1.000
30.	301112	25.0	21.7	1.65	0.330	1.000-1.250
31.	301113	25.0	21.5	1.75	0.345	1.250-1.500
32.	301114	25.0	22.4	2.30	0.443	1.500-1.750

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm$  7 TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## ROUND TUBES



Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
33.	301115	25.0	19.6	2.70	0.510	1.750-2.000
34.	302054	25.0	13.2	5.90	0.955	3.450-3.700
35.	301410	30.0	26.0	2.00	0.475	1.700-1.900
36.	302035	30.0	24.0	3.00	0.687	2.480-2.600
37.	301309	31.5	29.6	0.95	0.246	0.800-1.000
38.	301310	31.5	28.5	1.50	0.380	1.400-1.900
39.	302052	32.0	25.7	3.15	0.770	2.770-2.900
40.	302056	35.0	32.0	1.50	0.426	1.500-1.750
41.	301510	35.0	31.0	2.00	0.559	2.000-2.200
42.	301210	38.0	36.3	0.85	0.270	0.900-1.100
43.	302036	38.0	34.8	1.60	0.493	1.770-1.900
43.	302037	38.0	34.0	2.00	0.610	2.200-2.330
44.	302053	38.0	32.0	3.00	0.770	2.750-2.950
45.	301610	40.0	36.0	2.00	0.644	2.300-2.500
46.	301910	42.0	38.6	1.70	0.581	2.000-2.200
47.	302038	44.0	38.0	3.00	1.043	3.790-3.900
48.	301710	45.0	41.0	2.00	0.730	2.500-2.700
49.	302029	46.0	42.0	2.00	0.746	2.650-2.900
50.	302055	50.0	47.0	1.50	0.617	2.200-2.500
51.	301950	50.0	46.0	2.00	0.814	2.800-3.200
52.	302049	50.0	25.0	12.5	3.976	14.50-14.80
53.	301715	50.5	46.1	2.20	0.900	3.200-3.600
54.	302010	60.0	54.0	3.00	1.450	5.200-5.400
55.	302039	60.0	50.0	5.00	2.332	8.500-8.650
56.	302011	63.0	57.0	3.00	1.527	5.400-5.650
57.	302012	75.0	70.0	2.50	1.537	5.500-5.700
58.	302040	75.0	71.0	2.00	1.238	4.500-4.650
59.	302041	88.0	82.0	3.00	2.162	7.880-8.020
60.	302013	100	95.0	2.50	2.070	7.450-7.576
61.	302042	100	90.0	5.00	4.029	14.70-14.85
62.	302043	127	121.0	3.00	3.115	11.30-11.60
63.	302044	127	123.0	2.00	2.120	7.700-7.850

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## ROUND TUBES



Sr. No.	Profile Code	Ø - OD (mm)	Ø - ID (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
64.	302045	150	145.0	2.50	3.127	11.35-11.60
65.	302046	150	138.0	6.00	7.328	26.75-27.25
66.	302047	140	127.0	6.50	7.360	26.85-27.35
67.	302048	114	101.0	6.50	5.926	21.60-22.00

SATYA


**PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## FLUTED ROUND PIPE




S.r No.	Profile Code	OD (mm)	ID (mm)	T (mm)	Weight/12' (KG)
01.	332011	24	22.4	0.8	0.550-0.600
02.	332010	25	22.0	1.5	1.200-1.500
03.	335012	25.0	20.0	2.5	1.380-1.600
04.	333010	50.5	45.85	1.5	2.700-2.950
05.	335010	50.0	46.0	2.0	2.475-2.675

## ROUND ROD




S.r No.	Profile Code	A (mm)	Weight (KG/M)	Weight/12' (KG)
01.	332000	11.0	0.256	0.940
02.	332002	12.6	0.336	1.230
03.	332001	14.0	0.415	1.520
04.	332003	17.5	0.650	2.380
05.	332009	32.0	2.171	7.945
06.	332004	50.0	5.300	19.40
07.	332005	75.0	11.93	43.66
08.	332006	80.0	13.57	49.67
09.	332007	90.0	17.18	62.88
10.	332008	100	21.20	77.60

## SQUARE BAR



S.r No.	Profile Code	A (mm)	Weight (KG/M)	Weight/12' (KG)
01.	332500	9.40	0.238	0.870
02.	332504	12.0	0.390	1.430
03.	332501	24.0	1.555	5.690
04.	332505	32.0	2.762	10.10
05.	332502	63.0	10.72	39.23
06.	332503	75.0	15.18	55.58

S.r No.	Profile Code	OD (mm)	ID (mm)	T (mm)	Weight/12' (KG)
01.	354001	39	37.5	0.75	0.950-1.000



 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## FLAT BAR



Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)	Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01.	331054	15.88±0.20	02±0.15	0.315	36.	331015	80±0.80	10±0.30	7.910
02.	<b>331036</b>	19±0.20	1.5±0.15	0.250	37.	331034	80±0.80	12±0.30	9.480
03.	331025	19±0.20	06±0.20	1.130	38.	331058	100±1.00	3.7±0.20	3.652
04.	331000	20±0.20	06±0.20	1.190	39.	331026	100±1.00	06±0.20	5.930
05.	331001	20±0.20	10±0.30	1.980	40.	331056	100±1.00	08±0.20	7.900
06.	331002	25±0.25	03±0.20	0.740	41.	331083	100±1.00	10±0.30	9.880
07.	331003	25±0.25	06±0.20	1.480	42.	331017	100±1.00	12±0.30	11.86
08.	331050	25±0.25	08±0.30	1.975	43.	331027	100±1.00	20±0.35	19.76
09.	331004	25±0.25	10±0.30	2.470	44.	330066	100±1.00	40±0.40	39.52
10.	331005	25±0.25	12±0.30	2.960	45.	330067	100±1.00	50±0.50	49.40
11.	331021	30±0.30	06±0.20	1.780	46.	330092	101±1.00	75±0.70	74.85
12.	331006	30±0.30	10±0.30	2.960	47.	330091	102±1.20	63±0.60	63.50
13.	331051	30±0.30	12±0.30	3.560	48.	331052	125±1.25	06±0.20	7.410
14.	330095	40±0.25	02±0.15	0.790	49.	331018	125±1.25	10±0.30	12.35
15.	331007	40±0.40	06±0.20	2.370	50.	331019	125±1.25	12±0.30	14.82
16.	331057	40±0.40	08±0.20	3.160	51.	330068	125±1.25	50±0.50	61.75
17.	331008	40±0.40	10±0.30	3.950	52.	331039	140±1.40	9.4±0.30	13.00
18.	331022	40±0.40	12±0.30	4.740	53.	330093	140±1.20	50±0.50	69.15
19.	330099	40±0.40	16±0.25	6.320	54.	330070	150±1.50	06±0.20	8.890
20.	330100	40±0.40	20±0.25	7.900	55.	330087	150±1.50	08±0.20	11.85
21.	331009	50±0.50	06±0.20	2.960	56.	331071	150±1.50	10±0.30	14.82
22.	331053	50±0.50	08±0.20	3.950	57.	331040	150±1.50	12±0.30	17.70
23.	331010	50±0.50	10±0.30	4.940	58.	330074	150±1.50	16±0.25	23.70
24.	331011	50±0.50	12±0.30	5.930	59.	330073	150±1.50	19±0.25	28.15
25.	331012	60±0.60	06±0.20	3.560	60.	330094	150±1.20	40±0.40	59.30
26.	331013	60±0.60	10±0.30	5.930	61.	330072	150±1.50	50±0.50	74.10
27.	331030	60±0.60	12±0.30	7.120	62.	330088	160±1.60	06±0.25	9.500
28.	331029	63±0.63	06±0.20	3.740	63.	330084	160±1.60	10±0.25	15.80
29.	331028	63±0.63	10±0.30	6.230	64.	330086	180±1.80	10±0.25	17.78
30.	331023	63±0.63	12±0.30	7.470	65.	330075	200±2.00	06±0.25	11.84
31.	331024	75±0.75	06±0.20	4.450	66.	330076	200±2.00	10±0.25	19.75
32.	331014	75±0.75	10±0.30	7.410	67.	330077	200±2.00	12±0.25	23.70
33.	331033	75±0.75	12±0.30	8.900	68.	330078	200±2.00	16±0.25	31.61
34.	330101	76±0.70	50±0.50	37.60	69.	330079	200±2.00	20±0.25	39.52
35.	331035	80±0.80	06±0.20	4.740	70.	330080	200±2.00	25±0.25	49.40


 **PREMIUM PROFILES**

WEIGHT TOLERANCE ± 7 TO 10%


REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

**FLAT BAR**


Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)	Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
71.	330085	210±2.00	12±0.25	24.89					
72.	330081	250±2.00	10±0.25	24.70					
73.	330082	250±2.00	12±0.25	29.63					

**FLAT BAR (ROUND)**


Sr. No.	Profile Code	A (mm)	B (mm)	Weight/12' (KG)
01	331042	40±0.40	10±0.30	3.740
02	331043	50±0.50	10±0.30	4.728
03	331044	60±0.60	10±0.30	5.717
04	331045	63±0.63	10±0.30	6.013
05	331046	75±0.75	10±0.30	7.199
06	331047	80±0.80	10±0.30	7.693
07	331048	100±1.00	10±0.30	9.670
08	331055	100±1.00	12±0.30	11.55
09	331049	125±1.00	10±0.30	12.14
10	331041	150±1.60	10±0.30	14.61
11	331038	160±1.60	10±0.30	15.59

 **PREMIUM PROFILES**


WEIGHT TOLERANCE ± 7 TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## SINGLE PARTITION (SP)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	100911	50	25	0.75	0.353	1.500-1.800
02.	100909	60	35	0.60	0.353	1.600-1.900
03.	101009	63	38	0.80	0.486	2.200-2.400
04.	101010	63	38	0.90	0.539	2.400-2.700
05.	101011	63	38	1.05	0.619	2.700-3.000
06.	101012	63	38	1.20	0.656	3.000-3.300
07.	101013	63	38	1.30	0.721	3.300-3.600
08.	101014	63	38	1.40	0.787	3.600-4.000
09.	101015	63	38	1.80	0.874	4.000-4.500
10.	101016	63	38	2.00	0.983	4.500-5.000
11.	101017	63	38	2.20	1.093	5.000-5.500
12.	101018	63	38	2.40	1.202	5.500-6.100
13.	101019	63	38	2.60	1.333	6.100-6.700
14.	101020	63	38	2.80	1.464	6.700-7.400
15.	101021	63	38	3.00	1.617	7.400-8.000
16.	101110	83	38	1.30	0.874	4.000-4.500
17.	101111	83	38	1.50	0.983	4.500-5.000
18.	101112	83	38	1.70	1.093	5.000-5.500
19.	101113	83	38	1.90	1.202	5.500-6.000
20.	101115	90	40	1.00	0.748	3.350-3.600
21.	101210	100	44	1.00	0.983	4.500-5.000
22.	101211	100	44	1.20	1.093	5.000-5.500
23.	101212	100	44	1.40	1.202	5.500-6.000
24.	101213	100	44	1.60	1.311	6.000-6.500
25.	101214	100	44	1.80	1.420	6.500-7.000
26.	101215	100	44	2.00	1.530	7.000-7.500
27.	101216	100	44	2.20	1.640	7.500-8.000
28.	101217	100	44	2.40	1.748	8.000-8.600
29.	101218	100	44	2.60	1.880	8.600-9.300
30.	101219	100	44	2.80	2.032	9.300-10.000
31.	101220	100	44	3.00	2.186	10.000-11.000

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## DOUBLE PARTITION (DP)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	110911	50	25	0.65	0.366	1.500-1.800
02.	<b>111009</b>	63	38	0.72	0.497	2.200-2.400
03.	111010	63	38	0.80	0.540	2.400-2.700
04.	111011	63	38	1.20	0.760	2.700-3.000
05.	111012	63	38	1.35	0.841	3.000-3.300
06.	111013	63	38	1.40	0.721	3.300-3.600
07.	111014	63	38	1.60	0.787	3.600-4.000
08.	111015	63	38	1.80	0.874	4.000-4.500
09.	111016	63	38	2.00	0.983	4.500-5.000
10.	111017	63	38	2.20	1.093	5.000-5.500
11.	111018	63	38	2.40	1.202	5.500-6.100
12.	111019	63	38	2.60	1.333	6.100-6.700
13.	111020	63	38	2.80	1.464	6.700-7.400
14.	111021	63	38	3.00	1.617	7.400-8.000
15.	111110	83	38	1.30	0.874	4.000-4.500
16.	111111	83	38	1.50	0.983	4.500-5.000
17.	111112	83	38	1.70	1.093	5.000-5.500
18.	111113	83	38	1.90	1.202	5.500-6.000
19.	111115	90	40	0.98	0.791	5.500-6.000
20.	111210	100	44	1.00	0.983	3.550-3.850
21.	111211	100	44	1.20	1.093	5.000-5.500
22.	111212	100	44	1.40	1.202	5.500-6.000
23.	111213	100	44	1.60	1.311	6.000-6.500
24.	111214	100	44	1.80	1.420	6.500-7.000
25.	111215	100	44	2.00	1.530	7.000-7.500
26.	111216	100	44	2.20	1.640	7.500-8.000
27.	111217	100	44	2.40	1.748	8.000-8.600
28.	111218	100	44	2.60	1.880	8.600-9.300
29.	111219	100	44	2.80	2.032	9.300-10.000
30.	111220	100	44	3.00	2.186	10.000-11.000

 **PREMIUM PROFILES**

 WEIGHT TOLERANCE  $\pm$  7 TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## DOOR MIDDLE SINGLE (DMS)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	121009	47	44	0.90	0.490	2.200-2.400
02.	121010	47	44	1.00	0.536	2.400-2.700
03.	121011	47	44	1.15	0.605	2.700-3.000
04.	121012	47	44	1.30	0.655	3.000-3.300
05.	121013	47	44	1.50	0.721	3.300-3.600
06.	121014	47	44	1.70	0.787	3.600-4.000
07.	121015	47	44	1.90	0.874	4.000-4.500
08.	121016	47	44	2.10	0.983	4.500-5.000
09.	121017	47	44	2.30	1.092	5.000-5.500
10.	121018	47	44	2.50	1.202	5.500-6.000
11.	121110	83	44	1.20	1.027	4.700-5.000
12.	121111	83	44	1.40	1.092	5.000-5.500
13.	121112	83	44	1.60	1.202	5.500-6.000
14.	121113	83	44	1.80	1.311	6.000-6.500
15.	121114	83	44	2.00	1.420	6.500-7.000
16.	121115	83	44	2.20	1.530	7.000-7.600
17.	121116	83	44	2.40	1.661	7.600-8.000
18.	121117	83	44	2.60	1.748	8.000-8.500
19.	121118	83	44	2.80	1.858	8.500-9.000
20.	121119	83	44	3.00	1.967	9.000-9.500
21.	121120	83	44	3.20	2.076	9.500-10.000
22.	121121	83	44	3.40	2.186	10.000-10.500

 **PREMIUM PROFILES**

 WEIGHT TOLERANCE  $\pm$  7 TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## DOOR MIDDLE DOUBLE (DMD)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	<b>131009</b>	47	44	0.83	0.506	2.200-2.400
02.	131010	47	44	1.00	0.580	2.400-2.700
03.	131011	47	44	1.05	0.590	2.700-3.000
04.	131012	47	44	1.25	0.655	3.000-3.300
05.	131013	47	44	1.45	0.721	3.300-3.600
06.	131014	47	44	1.65	0.787	3.600-4.000
07.	131015	47	44	1.85	0.874	4.000-4.500
08.	131016	47	44	2.05	0.983	4.500-5.000
09.	131017	47	44	2.25	1.092	5.000-5.500
10.	131018	47	44	2.45	1.202	5.500-6.000
11.	131209	47	44	0.85	0.513	2.350-2.450
12.	131210	47	44	1.00	0.546	2.500-2.600
13.	131110	83	44	1.15	1.027	4.700-5.000
14.	131111	83	44	1.35	1.092	5.000-5.500
15.	131112	83	44	1.55	1.202	5.500-6.000
16.	131113	83	44	1.75	1.311	6.000-6.500
17.	131114	83	44	1.95	1.420	6.500-7.000
18.	131115	83	44	2.15	1.530	7.000-7.600
19.	131116	83	44	2.35	1.661	7.600-8.000
20.	131117	83	44	2.55	1.748	8.000-8.500
21.	131118	83	44	2.75	1.858	8.500-9.000
22.	131119	83	44	2.95	1.967	9.000-9.500
23.	131120	83	44	3.15	2.076	9.500-10.000
24.	131121	83	44	3.35	2.186	10.000-10.500

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## DOOR VERTICLE (DV)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	<b>141009</b>	47	44	0.80	0.480	2.200-2.400
02.	141010	47	44	0.95	0.524	2.400-2.700
03.	141011	47	44	1.10	0.590	2.700-3.000
04.	141012	47	44	1.30	0.656	3.000-3.300
05.	141013	47	44	1.50	0.721	3.300-3.600
06.	141014	47	44	1.70	0.786	3.600-4.000
07.	141015	47	44	1.90	0.874	4.000-4.500
08.	141016	47	44	2.10	0.983	4.500-5.000
09.	141017	47	44	2.30	1.092	5.000-5.500
10.	141018	47	44	2.50	1.202	5.500-6.100
11.	141019	47	44	2.70	1.333	6.100-6.700
12.	141110	83	44	1.20	1.027	4.700-5.000
13.	141111	83	44	1.40	1.092	5.000-5.300
14.	141112	83	44	1.60	1.158	5.300-5.700
15.	141113	83	44	1.80	1.245	5.700-6.100
16.	141114	83	44	2.00	1.333	6.100-6.500
17.	141115	83	44	2.20	1.420	6.500-7.000
18.	141116	83	44	2.40	1.530	7.000-7.500
19.	141117	83	44	2.60	1.640	7.500-8.000
20.	141118	83	44	2.80	1.748	8.000-8.600
21.	141119	83	44	3.00	1.879	8.600-9.200
22.	141120	83	44	3.20	2.010	9.200-10.00
23.	141121	83	44	3.40	2.185	10.00-11.00

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## DOOR TOP / BOTTOM (DT/DB)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	<b>151009</b>	47	44	0.92	0.513	2.200-2.400
02.	151010	47	44	1.00	0.545	2.400-2.700
03.	151011	47	44	1.15	0.605	2.700-3.000
04.	151012	47	44	1.30	0.656	3.000-3.300
05.	151013	47	44	1.50	0.721	3.300-3.600
06.	151014	47	44	1.70	0.787	3.600-4.000
07.	151015	47	44	1.90	0.874	4.000-4.500
08.	151016	47	44	2.10	0.983	4.500-5.000
09.	151017	47	44	2.30	1.092	5.000-5.500
10.	151018	47	44	2.50	1.202	5.500-6.100
11.	151019	83	44	1.15	0.983	4.500-5.000
12.	151110	83	44	1.20	1.027	4.700-5.000
13.	151111	83	44	1.40	1.092	5.000-5.500
14.	151112	83	44	1.60	1.202	5.500-6.000
15.	151113	83	44	1.80	1.311	6.000-6.500
16.	151114	83	44	2.00	1.420	6.500-7.000
17.	151115	83	44	2.20	1.530	7.000-7.600
18.	151116	83	44	2.40	1.661	7.600-8.000
19.	151117	83	44	2.60	1.748	8.000-8.500
20.	151118	83	44	2.80	1.857	8.500-9.000
21.	151119	83	44	3.00	1.967	9.000-9.500
22.	151120	83	44	3.20	2.076	9.500-10.00
23.	151121	83	44	3.40	2.186	10.00-10.50
24.	151209	114	44	0.96	0.983	4.500-5.000
25.	151210	114	44	1.00	1.049	4.800-5.300
26.	151211	114	44	1.20	1.158	5.300-5.800
27.	151212	114	44	1.40	1.267	5.800-6.400
28.	151213	114	44	1.60	1.398	6.400-7.700
29.	151214	114	44	1.80	1.683	7.700-8.500
30.	151215	114	44	2.00	1.857	8.500-9.200
31.	151216	114	44	2.20	2.011	9.200-10.00
32.	151217	114	44	2.40	2.186	10.00-10.50


**PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm$  7 TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## DOOR TOP SINGLE LEG (DTSL)



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	<b>171009</b>	47	44	0.96	0.546	2.200-2.400
02.	171010	47	44	0.96	0.546	2.400-2.700
03.	171011	47	44	1.10	0.590	2.700-3.000
04.	171012	47	44	1.30	0.656	3.000-3.300
05.	171013	47	44	1.50	0.721	3.300-3.600
06.	171014	47	44	1.70	0.787	3.600-4.000
07.	171015	47	44	1.90	0.874	4.000-4.500
08.	171016	47	44	2.10	0.983	4.500-5.000
09.	171109	83	44	1.14	0.983	4.500-5.000
10.	171110	83	44	1.20	1.049	4.800-5.000
11.	171111	83	44	1.40	1.092	5.000-5.300

## BADAMI



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	161009	63	38	1.30	0.765	3.500-4.000
02.	161010	63	38	1.35	0.874	4.000-4.500
03.	161011	63	38	1.50	0.983	4.500-5.000
04.	161012	63	38	1.65	1.093	5.000-5.500
05.	161013	63	38	1.80	1.202	5.500-6.000
06.	161014	63	38	1.95	1.311	6.000-6.500
07.	162012	100	44	2.80	2.098	9.600-10.20








 **PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026


**SATYA METAL INDUSTRIES PVT.LTD**

 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

	<p style="text-align: center;"><b>PATAM 90x45</b></p> 	
<p style="text-align: center;"><b>Profile Code - 162012</b> <b>Weight (KG)/M - 2.45</b></p>	<p style="text-align: center;"><b>Profile Code - 401010</b> <b>Weight/12' (KG) - 6.000-6.500</b></p>	
<p style="text-align: center;"><b>PATAM 112x44</b></p> 		
<p style="text-align: center;"><b>Profile Code - 402010</b> <b>Weight/12' (KG) - 3.500-4.000</b></p>	<p style="text-align: center;"><b>Profile Code - 414530</b> <b>Weight/12' (KG) - 2.300-2.800</b></p>	
		
<p style="text-align: center;"><b>Profile Code - 402011</b> <b>Weight (KG)/M - 1.156</b></p>	<p style="text-align: center;"><b>Profile Code - 402012</b> <b>Weight (KG)/M - 1.886</b></p>	
		
<p style="text-align: center;"><b>Profile Code - 414523</b> <b>Weight (KG)/M - 1.820</b></p>		
<p> <b>PREMIUM PROFILES</b></p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO <math>10\%</math></p>	<p>REVISED ON DATE - 01/01/2026</p>



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414515	54.0	26.5	0.86	1.350-1.500
02.	414520	63.0	40.0	0.86	1.700-1.900
03.	414521	63.0	40.0	1.00	1.900-2.100
04.	414522	63.0	40.0	1.10	2.100-2.300



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414525	59.0	35.5	0.83	1.450-1.600
02.	414526	59.0	35.5	0.83	1.450-1.600

SATYA

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## HANDLE




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	201009	40	18	0.57	0.191	0.700-0.750
02.	201010	40	18	0.60	0.218	0.800-0.900
03.	201011	40	18	0.67	0.245	0.900-1.050
04.	201012	40	18	0.88	0.287	1.050-1.200
05.	201013	40	18	1.00	0.328	1.200-1.400
06.	201014	40	18	1.15	0.382	1.400-1.600
07.	201015	40	18	1.35	0.437	1.600-1.800
08.	201016	40	18	1.50	0.491	1.800-2.000
09.	201108	45	25	0.70	0.319	1.350-1.400
10.	201110	50	25	0.85	0.382	1.400-1.700
11.	201111	50	25	1.10	0.464	1.700-1.950
12.	201112	50	25	1.12	0.533	1.950-2.200
13.	201113	50	25	1.16	0.655	2.400-2.600
14.	201210	60	19	1.15	0.519	1.900-2.200
15.	201310	75	32	1.10	0.737	2.700-2.900
16.	201710	75	25	1.00	0.524	2.400-2.600

## PLANE HANDLE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	201410	62	32	1.00	0.574	1.900-2.200

## PLANE HANDLE ROUND CORNERS



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	201610	38	18	2.25	0.663	3.100-3.500





**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414110	80.0	25.4	0.95	2.100-2.400


Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414215	50.0	25.4	0.95	1.500-1.700
02.	414210	80.0	25.4	0.95	2.100-2.400



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414315	50.0	25.4	0.95	1.600-1.800
01.	414310	80.0	25.4	0.95	2.200-2.500



Sr. No.	Profile Code	A (mm)	B(mm)	T (mm)	Weight/12' (KG)
01.	414410	80.0	25.4	0.95	2.000-2.300

## GLASS SECTION



Sr. No.	Profile Code	Weight/15' (KG)
01.	261010 Hollow	6.500-7.000
02.	261011 Hollow	7.000-7.500
03.	261012 Hollow	7.500-8.000
04.	261110	8.500-9.200
05.	261111	9.200-10.00
06.	261112	10.00-11.00

## LOUVERS



Profile Code - 406010  
Weight/12' (KG) - 1.300-1.600

Profile Code - 406011  
Weight KG/M - 0.328

PREMIUM PROFILES


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## TOP BOTTOM



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	191009	40	18	0.60	0.191	0.700-0.750
02.	191010	40	18	0.63	0.218	0.800-0.900
03.	191011	40	18	0.67	0.246	0.900-1.050
04.	191012	40	18	0.86	0.287	1.050-1.200
05.	191013	40	18	0.90	0.327	1.200-1.400
06.	191014	40	18	1.14	0.382	1.400-1.600
07.	191015	40	18	1.30	0.437	1.600-1.800
08.	191016	40	18	1.43	0.491	1.800-2.000
09.	191107	45	25	0.70	0.347	1.200-1.350
10.	191108	50	25	0.70	0.338	1.200-1.450
11.	191109	50	25	0.86	0.382	1.400-1.700
12.	191110	50	25	1.15	0.464	1.700-1.950
13.	191111	50	25	1.22	0.546	2.000-2.200
14.	191112	50	25	1.26	0.532	1.950-2.200
15.	191310	75	32	1.10	0.590	2.160-2.300
16.	191410	62	32	1.30	0.735	2.500-2.700
17.	191710	75	25	0.90	0.550	2.000-2.200
18.	191506	38	14	0.57	0.209	0.700-0.775

## BEARING BOTTOM



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	191210	60	19	1.15	0.546	2.500-2.700
02.	191610	50	18	1.13	0.410	1.500-1.700
03.	531010	60	18	1.05	0.500	2.250-2.450

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## MIDDLE SECTION



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	<b>211009</b>	40	18	0.56	0.191	0.700-0.750
02.	211010	40	18	0.60	0.218	0.800-0.900
03.	211011	40	18	0.66	0.246	0.900-1.050
04.	211012	40	18	0.86	0.287	1.050-1.200
05.	211013	40	18	0.86	0.327	1.200-1.400
06.	211014	40	18	1.00	0.382	1.400-1.600
07.	211015	40	18	1.20	0.437	1.600-1.800
08.	211016	40	18	1.42	0.491	1.800-2.000
09.	211108	45	25	0.70	0.337	1.475-1.600
10.	211110	50	25	0.86	0.382	1.400-1.700
11.	211111	50	25	0.95	0.464	1.700-1.950
12.	211112	50	25	1.05	0.532	1.950-2.200
13.	211113	50	25	1.15	0.546	2.500-2.800
14.	211210	50	32	0.95	0.519	1.900-2.200
15.	211410	75	25	0.90	0.480	2.200-2.400
15.	<b>211507</b>	38	14	0.65	0.209	0.700-0.775
16.	211510	80	18	1.00	0.480	2.400-2.600
17.	532010	80	18	0.90	0.542	2.400-2.600
18.	533010	75	25	0.90	0.578	2.600-2.800
19.	211310	75	32	1.10	0.590	2.160-2.300

## PLANE MIDDLE SECTION



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	211310	62	32	1.10	0.710	2.500-2.700

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## TOP BOTTOM SINGLE LEG



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	<b>221009</b>	40	18	0.63	0.190	0.700-0.750
02.	221010	40	18	0.67	0.220	0.800-0.900
03.	221011	40	18	0.75	0.245	0.900-1.050
04.	221012	40	18	0.96	0.290	1.050-1.200
05.	221013	40	18	1.00	0.330	1.200-1.400
06.	221014	40	18	1.21	0.380	1.400-1.600
07.	221015	40	18	1.30	0.440	1.600-1.800
08.	221016	40	18	1.55	0.490	1.800-2.000
09.	221110	50	25	0.85	0.370	1.350-1.450
10.	221111	50	25	0.97	0.460	1.700-1.800
11.	221112	50	25	1.16	0.568	2.600-2.800
12.	221310	75	32	0.97	0.519	2.150-2.450
13.	221410	75	25	0.97	0.519	1.900-2.200
14.	<b>221508</b>	38	14	0.55	0.147	0.500-0.550

## INTERLOCK



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	231010	40	18	0.55	0.270	1.000-1.200
02.	231011	40	18	0.70	0.310	1.200-1.400
03.	231012	40	18	0.87	0.460	1.400-1.600
04.	231013	40	18	0.95	0.440	1.600-1.800
05.	231014	40	18	1.30	0.490	1.800-2.000
06.	231110	60	19	0.89	0.520	1.900-2.200

 **PREMIUM PROFILES**


 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

**SATYA METAL INDUSTRIES PVT.LTD**


 Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## TOP BOTTOM SINGLE LEG



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	221508	38	14	0.55	0.147	0.500-0.550

## TOP BOTTOM



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	191508	38	14	0.55	0.161	0.550-0.600

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## OPPOSITE TOP BOTTOM




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	<b>191508</b>	38	14	0.55	0.161	0.550-0.650
02.	191509	40	20	0.92	0.270	1.000-1.300
03.	191510	40	20	1.16	0.355	1.300-1.400
04.	191511	40	20	1.18	0.380	1.400-1.600
05.	191512	40	20	1.50	0.460	1.700-2.000

## CORNERED HANDLE



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	201509	40	20	0.72	0.273	1.000-1.300
02.	201510	40	20	0.87	0.382	1.400-1.600
03.	201511	40	20	1.00	0.464	1.700-2.000

## CORNERED INTERLOCK



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/12' (KG)
01.	231509	40	20	0.75	0.313	1.000-1.400
02.	231510	40	20	0.95	0.380	1.400-1.600
03.	231511	40	20	1.15	0.490	1.800-2.100







 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


		Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
<b>2 TRACK TOP</b> 		01.	181010	18	2.000-2.250
		02.	181011	18	2.300-2.600
		03.	181012	18	2.600-2.900
		04.	181013	18	3.000-3.300
		05.	181014	18	3.400-3.800
		06.	181015	18	3.900-4.300
<b>2 TRACK BOTTOM</b> 		Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
		01.	182010	18	2.100-2.400
		02.	182011	18	2.400-2.700
		03.	182012	18	2.700-3.000
		04.	182013	18	3.000-3.300
		05.	182014	18	3.400-3.700
		06.	182015	18	3.800-4.000
07.	182016	18	4.000-4.300		
<b>GROVED 2 TRACK TOP</b> 		Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
		01.	181210	18	1.900-2.200
		02.	181211	18	2.350-2.500
		03.	181212	18	2.500-2.800
		04.	181213	18	2.900-3.000
		05.	181214	18	3.100-3.400
		06.	181215	18	3.500-3.800
		07.	181216	18	3.900-4.200
		08.	181217	18	4.200-4.500
09.	181218	18	4.500-5.000		
<b>GROVED 2 TRACK BOTTOM</b> 		Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
		01.	181910	18	2.300-2.600
		02.	181911	18	2.600-2.900
		03.	181912	18	3.000-3.400
		04.	181913	18	3.500-3.900
		05.	181914	18	4.000-4.400
06.	181915	18	4.500-5.000		
<b>FRAMED 2 TRACK TOP</b> 		<b>FRAMED 2 TRACK BOTTOM</b> 			
Profile Code - 181110 Weight/15' (KG)-4.000-4.300	Profile Code - 181111 Weight/15' (KG)-4.300-4.600	Profile Code - 182110 Weight/15' (KG)-4.200-4.500	Profile Code - 182111 Weight/15' (KG)-4.500-4.800		
 <b>PREMIUM PROFILES</b>		WEIGHT TOLERANCE ± 7 TO 10%	REVISED ON DATE - 01/01/2026		
SATYA METAL INDUSTRIES PVT.LTD Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153 Mob: +91-8477897789   +91-9415215083   E-mail : satyametal@rediffmail.com   Website : www.satyametal.com					
					30

## 3 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	183010	20	3.000-3.300
02.	183011	20	3.400-3.700
03.	183012	20	3.800-4.000
04.	183013	20	4.000-4.400
05.	183014	20	4.500-5.000
06.	183015	20	5.000-5.500
07.	183016	20	5.550-6.000
08.	183017	20	6.100-6.500

## 3 TRACK BOTTOM




Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	184010	20	3.000-3.300
02.	184011	20	3.400-3.600
03.	184012	20	3.700-4.000
04.	184013	20	4.000-4.400
05.	184014	20	4.500-4.800
06.	184015	20	5.000-5.500
07.	184016	20	5.550-6.000

## GROVED 3 TRACK TOP




Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
01.	183210	20	3.200-3.500
02.	183211	20	3.400-3.800
03.	183212	20	3.900-4.300
04.	183213	20	4.500-5.000
05.	183214	20	5.000-5.500
06.	183215	20	5.500-6.000
07.	183216	20	6.100-6.400

## GROVED 3 TRACK BOTTOM



Sr. No.	Profile Code	Size (mm)	Weight/16' (KG)
01.	184210	20	3.000-3.400
02.	184211	20	3.500-3.900
03.	184212	20	4.000-4.400
04.	184213	20	4.500-4.900
05.	184214	20	5.000-5.500
06.	184215	20	5.550-6.000
07.	184216	20	6.050-6.500

## FRAMED 3 TRACK TOP



Sr. No.	Profile Code	Size (mm)	Weight/15' (KG)
01.	183110	20	4.800-5.100
02.	183111	20	6.000-6.300


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm$  7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 501010**  
**Weight(KG)/M -0.680**




**Profile Code - 502010**  
**Weight(KG)/M -0.900**




**Profile Code - 503010**  
**Weight(KG)/M -0.740**




**Profile Code - 504010**  
**Weight(KG)/M -1.080**




**Profile Code - 505010**  
**Weight(KG)/M -1.17**



**Profile Code -506010**  
**Weight(KG)/M -1.77**



**Profile Code -507010**  
**Weight(KG)/M -1.40**



**Profile Code - 508010**  
**Weight KG /M - 0.976**







 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

 <p>43 107</p>	 <p>1 45 90</p>
<p><b>Profile Code - 366051</b> <b>Weight KG /M - 1.694</b></p>	<p><b>Profile Code - 509010</b> <b>Weight KG /M - 1.5</b></p>
 <p>49.2 1.2 101.85</p>	 <p>40 40</p>
<p><b>Profile Code - 361025</b> <b>Weight KG /M - 1.56</b></p>	<p><b>Profile Code - 366015</b> <b>Weight KG /M - 0.598</b></p>
 <p>40 40</p>	 <p>19.2 4.5 3.3</p>
<p><b>Profile Code - 366074</b> <b>Weight KG /M - 0.572</b></p>	<p><b>Profile Code - 366105</b> <b>Weight KG /M - 0.160</b></p>









ALL DIMENSIONS ARE IN MM

 WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

<p style="text-align: center;"><b>GLASS-Z</b></p>  <p style="text-align: center;">Profile Code - 461010 Weight(KG)/M - 0.510</p>	<p style="text-align: center;"><b>SPL CLIP</b></p>  <p style="text-align: center;">Profile Code -244010 Weight/12' (KG) - 0.260-0.290</p>	
<p style="text-align: center;"><b>DOOR FRAME</b></p>  <p style="text-align: center;">Profile Code - 471010 Weight(KG)/M - 0.810</p>	<p style="text-align: center;"><b>DOOR VERTICAL</b></p>  <p style="text-align: center;">Profile Code - 472010 Weight(KG)/M - 0.980</p>	
 <p style="text-align: center;">Profile Code - 244020 Weight(KG)/M - 0.960</p>	 <p style="text-align: center;">Profile Code - 244015 Weight(KG)/M - 0.130</p>	
 <p style="text-align: center;">Profile Code - 451010 Weight(KG)/M - 1.50</p>	 <p style="text-align: center;">Profile Code - 452010 Weight(KG)/M - 1.10</p>	
<p> <b>PREMIUM PROFILES</b></p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## GLAZING CLIP




Sr. No.	Profile Code	T (mm)	Weight/12' (KG)
01.	241009	0.41	0.190-0.210
02.	241010	0.45	0.210-0.230
03.	241011	0.48	0.230-0.250
04.	241012	0.50	0.270-0.300
05.	241013	0.54	0.300-0.330
06.	241014	0.58	0.370-0.400

## GLAZING PLATE




Sr. No.	Profile Code	Weight/12' (KG)
01.	242010	0.450-0.500
02.	242011	0.500-0.550
03.	242012	0.550-0.600

## SQUARE CLIP



Profile Code - 243011  
Weight/12' (KG) - 0.400-0.550



Profile Code - 243015  
Weight/12' (KG) - 0.657


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)
01.	411014	41.5	41.5	3.4	0.580
02.	411009	41.5	41.5	3.8	0.660
03.	411015	41.5	41.5	4.2	0.740
04.	411013	41.5	41.5	4.4	0.780
05.	411011	41.5	41.5	4.5	0.800
06.	411010	41.5	41.5	5.0	0.898
07.	411012	41.5	41.5	6.5	1.183




**Profile Code - 421010**  
Weight KG /M - 0.250




**Profile Code - 421050**  
Weight KG /M - 1.160




**Profile Code - 321215**  
Weight KG /M - 2.200



**Profile Code - 481012**  
Weight KG /M - 0.735



**Profile Code - 481013**  
Weight KG /M - 0.788



**Profile Code - 411017**  
Weight KG /M - 0.712

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## 3 TRACK DOMAL




Sr. No.	Profile Code	Weight/12' (KG)
01.	361010	4.000-4.400
02.	361011	4.400-4.800
03.	361012	4.800-5.200
04.	361013	5.200-5.600
05.	361014	5.600-6.000


## 2 TRACK DOMAL



Sr. No.	Profile Code	Weight/15' (KG)
01.	362010	3.000-3.300
02.	362011	3.300-3.700




Profile Code - 361030  
Weight(KG)/M - 1.60




Profile Code - 511010  
Weight(KG)/M - 1.650

## FIX 2 TRACK



Profile Code - 362020  
Weight(KG)/M - 1.10

## FIX 2 TRACK



Profile Code - 361040  
Weight(KG)/M - 0.775


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: 08477897789 | 09415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 361020**  
**Weight(KG)/M - 1.149**




**Profile Code - 512010**  
**Weight(KG)/M - 1.20**




**Profile Code - 361023**  
**Weight(KG)/M - 1.410**




**Profile Code - 362030**  
**Weight(KG)/M - 0.960**




**Profile Code - 366010**  
**Weight(KG)/M - 0.790**



**Profile Code - 363017**  
**Weight(KG)/M - 0.730**



**Profile Code - 363009**  
**Weight(KG)/M - 0.670**



**Profile Code - 363016**  
**Weight(KG)/M - 0.714**









 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


	<p align="center"><b>27MM SUTTER</b></p> 	
<p align="center"><b>Profile Code - 363010</b> <b>Weight (KG)/M - 0.850</b></p>	<p align="center"><b>Profile Code - 363012</b> <b>Weight (KG) /M- 0.900</b></p>	
		
<p align="center"><b>Profile Code - 363014</b> <b>Weight/12' (KG) - 2.800-3.100</b></p>	<p align="center"><b>Profile Code - 364014</b> <b>Weight (KG)/M - 0.360</b></p>	
<p align="center"><b>I/L PATTI</b></p> 		
<p align="center"><b>Profile Code - 364010</b> <b>Weight (KG)/M - 0.280</b></p>	<p align="center"><b>Profile Code - 364012</b> <b>Weight (KG)/M -0.310</b></p>	
		
<p align="center"><b>Profile Code - 244017</b> <b>Weight (KG)/M - 0.078</b></p>	<p align="center"><b>Profile Code - 363015</b> <b>Weight (KG)/M -0.691</b></p>	
<p> <b>PREMIUM PROFILES</b></p>	<p align="center">WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p align="center">REVISED ON DATE - 01/01/2026</p>




**Profile Code - 363044**  
**Weight (KG) /M- 0.752**




**Profile Code - 363045**  
**Weight (KG) /M- 0.155**




**Profile Code - 366079**  
**Weight (KG) /M- 0.221**




**Profile Code - 366080**  
**Weight (KG) /M- 0.614**



**Profile Code - 366106**  
**Weight (KG) /M- 0.146**



**Profile Code - 366111**  
**Weight (KG) /M- 0.769**



**Profile Code - 366112**  
**Weight (KG) /M- 1.414**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366049**  
**Weight(KG)/M - 0.766**




**Profile Code - 366050**  
**Weight KG /M - 0.814**




**Profile Code - 366051**  
**Weight KG /M - 1.694**



**Profile Code - 366052**  
**Weight KG /M - 0.176**



**Profile Code - 366107**  
**Weight KG /M - 1.068**



**Profile Code - 366108**  
**Weight KG /M - 1.494**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



**Profile Code - 366063**  
**Weight KG /M - 0.121**



**Profile Code - 363030**  
**Weight KG /M - 0.151**



**Profile Code - 366062**  
**Weight KG /M - 0.173**

SATYA









 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026









SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

 <p>30 67.4 1.35</p>	 <p>30 67.4 1.5</p>	
<p><b>Profile Code - 363018</b> <b>Weight KG /M - 0.932</b></p>	<p><b>Profile Code - 363019</b> <b>Weight KG /M - 0.938</b></p>	
 <p>35 65 1.45</p>	 <p>35 65 1.45</p>	
<p><b>Profile Code - 363020</b> <b>Weight KG /M - 1.035</b></p>	<p><b>Profile Code - 363021</b> <b>Weight KG /M - 0.970</b></p>	
<p><b>MATTING</b></p>  <p>21.9 28.6 1.2</p>	<p><b>CENTER SGU</b></p>  <p>30 37.7 1.3</p>	
<p><b>Profile Code - 363022</b> <b>Weight KG /M - 0.262</b></p>	<p><b>Profile Code - 363023</b> <b>Weight KG /M - 0.704</b></p>	
<p><b>CENTER SGU</b></p>  <p>35 37.67 1.3</p>	<p><b>MATTING</b></p>  <p>21.9 35 1.4</p>	
<p><b>Profile Code - 363024</b> <b>Weight KG /M - 0.820</b></p>	<p><b>Profile Code - 363025</b> <b>Weight KG /M - 0.294</b></p>	
<p> <b>PREMIUM PROFILES</b></p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

<p align="center"><b>SS RAIL ADAPTOR</b></p> 	<p align="center"><b>WIRE MESH ADAPTOR</b></p> 
<p align="center">Profile Code - 363026 Weight KG /M - 0.106</p>	<p align="center">Profile Code - 363027 Weight KG /M - 0.384</p>
<p align="center"><b>WIRE MESH ADAPTOR</b></p> 	<p align="center"><b>BOTTOM RAIL V GROOVE</b></p> 
<p align="center">Profile Code - 363028 Weight KG /M - 0.300</p>	<p align="center">Profile Code - 363030 Weight KG /M - 0.151</p>
	<p align="center"><b>BOTTOM RAIL U GROOVE</b></p> 
<p align="center">Profile Code - 363031 Weight KG /M - 0.104</p>	<p align="center">Profile Code - 363032 Weight KG /M - 0.186</p>
<p align="center"><b>INTERLOCK CLIP</b></p> 	
<p align="center">Profile Code - 363033 Weight KG /M - 0.309</p>	<p align="center">Profile Code - 363035 Weight KG /M - 0.401</p>


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



**Profile Code - 363036**  
**Weight KG /M - 1.56**




**Profile Code - 363037**  
**Weight KG /M - 1.488**




**Profile Code - 363034**  
**Weight KG /M - 0.726**

**Slim I/L SGU**




**Profile Code - 364050**  
**Weight KG /M - 0.692**

**Slim I/L DGU**




**Profile Code - 364051**  
**Weight KG /M - 0.635**




**Profile Code - 366082**  
**Weight KG /M - 0.765**

**KPA I/L DGU**




**Profile Code - 364053**  
**Weight KG /M - 1.40**

**KPA I/L SGU**



**Profile Code - 364052**  
**Weight KG /M - 1.46**

**INTERLOCK CLIP**



**Profile Code - 364014**  
**Weight KG /M - 0.360**









 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

	
<p><b>Profile Code - 366059</b> Weight KG /M - 0.595</p>	<p><b>Profile Code - 366060</b> Weight KG /M - 0.425</p>
	
<p><b>Profile Code - 366061</b> Weight KG /M - 0.292</p>	<p><b>Profile Code - 366064</b> Weight KG /M - 0.594</p>
	
<p><b>Profile Code - 366065</b> Weight KG /M - 0.875</p>	<p><b>Profile Code - 366066</b> Weight KG /M - 0.146</p>
	
<p><b>Profile Code - 366067</b> Weight KG /M - 0.905</p>	<p><b>Profile Code - 366068</b> Weight KG /M - 1.537</p>


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366075**  
**Weight KG /M - 0.901**




**Profile Code - 366076**  
**Weight KG /M - 1.449**



**Profile Code - 366062**  
**Weight KG /M - 0.173**



**Profile Code - 366063**  
**Weight KG /M - 0.121**



**SEC. NO. 363023**  
**WEIGHT - 0.704 Kg/M**

ALL DIMENSIONS ARE IN MM


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026



SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## HOLLOW- Z WITHOUT LEG




## HOLLOW-Z



Sr. No.	Profile Code	Weight/12' (KG)	Sr. No.	Profile Code	Weight/12' (KG)
01.	251002	2.000-2.300	01.	251010	2.000-2.300
02.	251003	2.300-2.600	02.	251011	2.300-2.600


**Profile Code - 254015**  
**Weight(KG)/M - 0.600**

## INNER - Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	252010	1.250-1.500
02.	252011	1.500-1.750
03.	252012	2.500-2.700

## CASEMENT-Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	253010	3.000-3.400
02.	253011	3.400-3.800

## LAME - Z




Sr. No.	Profile Code	Weight/12' (KG)
01.	254010	1.800-2.000
02.	254011	2.000-2.200

## MULLION




Sr. No.	Profile Code	Weight/12' (KG)
01.	255010	2.700-3.000
02.	255011	3.000-3.300

## MULLION WITH GROVES



Sr. No.	Profile Code	Weight/12' (KG)
01.	256010	2.700-3.000
02.	256011	3.000-3.300
03.	256012	2.500-2.700

## OUTER - Z



Sr. No.	Profile Code	Weight/12' (KG)
01.	257010	1.400-1.600
02.	257011	1.600-1.800
03.	257012	1.800-2.000
04.	257013	2.000-2.300









**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

	
<p><b>Profile Code - 366063</b> <b>Weight KG /M - 0.121</b></p>	<p><b>Profile Code - 366062</b> <b>Weight KG /M - 0.173</b></p>
	
<p><b>Profile Code - 366069</b> <b>Weight KG /M - 1.321</b></p>	<p><b>Profile Code - 366070</b> <b>Weight KG /M - 0.760</b></p>
	
<p><b>Profile Code - 366071</b> <b>Weight KG /M - 1.345</b></p>	<p><b>Profile Code - 366072</b> <b>Weight KG /M - 1.126</b></p>
	
<p><b>Profile Code - 366083</b> <b>Weight KG /M - 1.007</b></p>	<p><b>Profile Code - 366095</b> <b>Weight KG /M - 0.410</b></p>


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO  $10\%$


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



**Profile Code - 366093**  
**Weight KG /M - 2.207**



**Profile Code - 366094**  
**Weight KG /M - 1.501**











 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


 <p>Dimensions: 25.9, 1.2, 17.65, 32,36</p>	<p><b>LAME - Z</b></p>  <p>Dimensions: 55, 1.3, 40</p>	
<p>Profile Code - 245010 Weight(KG)/M - 0.250</p>	<p>Profile Code - 366024 Weight KG /M - 0.670</p>	
<p><b>MULLION</b></p>  <p>Dimensions: 1.5, 40, 70</p>	<p><b>HOLLOW - Z</b></p>  <p>Dimensions: 1.4, 40, 56</p>	
<p>Profile Code - 366020 Weight KG /M - 0.830</p>	<p>Profile Code - 366022 Weight KG /M - 0.800</p>	
<p><b>OUTER - Z</b></p>  <p>Dimensions: 2, 40, 40</p>	 <p>Dimensions: 1.3, 40, 47</p>	
<p>Profile Code - 366040 Weight KG /M - 0.611</p>	<p>Profile Code - 366042 Weight KG /M - 0.572</p>	
 <p>Dimensions: 1.3, 40, 63</p>	 <p>Dimensions: 40, 40</p>	
<p>Profile Code - 366044 Weight KG /M - 0.796</p>	<p>Profile Code - 366015 Weight KG /M - 0.598</p>	
<p> <b>PREMIUM PROFILES</b></p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>




**Profile Code - 366049**  
**Weight(KG)/M - 0.766**




**Profile Code - 366050**  
**Weight KG /M - 0.814**




**Profile Code - 366051**  
**Weight KG /M - 1.694**




**Profile Code - 366052**  
**Weight KG /M - 0.176**



**Profile Code - 366018**  
**Weight KG /M - 0.709**




SEC. NO. 245017  
**WEIGHT - 0.240 Kg/M**




**Profile Code - 366059**  
**Weight KG /M - 0.595**

**40MM EXTENDED MULLION**



SEC.NO. 363037  
**WEIGHT - 1.488 Kg/M**

**40MM EXTENDED OUTER**



SEC.NO. 363036  
**WEIGHT - 1.56 Kg/M**








**PREMIUM PROFILES**

**WEIGHT TOLERANCE ± 7 TO 10%**

**REVISED ON DATE - 01/01/2026**

**SATYA METAL INDUSTRIES PVT.LTD**

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

<p style="text-align: center;"><b>OUTER - Z</b></p> 	<p style="text-align: center;"><b>MULLION</b></p> 
<p style="text-align: center;">Profile Code - 366012 Weight KG /M - 0.830</p>	<p style="text-align: center;">Profile Code - 366014 Weight KG /M - 1.00</p>
<p style="text-align: center;"><b>SHUTTER</b></p> 	<p style="text-align: center;"><b>CLIP</b></p> 
<p style="text-align: center;">Profile Code - 366016 Weight KG /M - 1.34</p>	<p style="text-align: center;">Profile Code - 245014 Weight KG /M - 0.285</p>
<p style="text-align: center;"><b>FACADE LOUVERS</b></p> 	<p style="text-align: center;"><b>FACADE LOUVERS</b></p> 
<p style="text-align: center;">Profile Code - 366001 Weight KG /M - 0.517</p>	<p style="text-align: center;">Profile Code - 366003 Weight KG /M - 0.333</p>
<p style="text-align: center;"><b>FACADE LOUVERS</b></p> 	
<p style="text-align: center;">Profile Code - 366004 Weight KG /M - 0.126</p>	




**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 245012**  
**Weight KG /M - 0.289**




**Profile code - 366030**  
**Weight KG /M - 1.05**



**Profile Code - 366010**  
**Weight KG /M - 0.789**



**Profile code - 366046**  
**Weight KG /M - 0.694**



**Profile Code - 245017**  
**Weight KG /M - 0.236**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO  $10\%$

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



Sr. No.	Profile Code	A (mm)	B (mm)	T (mm)	Weight./Mtr. (KG)	Weight/15' (KG)
01.	271010	38	38	1.20	0.536	2.300-2.600
02.	271110	50	50	1.02	0.600	2.700-3.000
03.	271111	50	50	1.20	0.692	3.000-3.300
04.	271112	50	50	1.37	0.780	3.300-3.700
05.	271113	50	50	1.44	0.814	3.700-4.100
06.	271114	50	50	1.64	0.916	4.100-4.500
07.	271115	50	50	1.77	0.982	4.500-5.000
08.	271210	80	50	1.45	1.055	4.500-5.000
09.	271211	80	50	1.75	1.255	5.500-6.000
10.	271212	80	50	1.85	1.321	6.000-6.500
11.	271213	80	50	2.00	1.420	6.500-7.000
12.	271310	100	50	2.00	1.640	7.300-8.000
13.	271311	100	50	2.20	1.800	8.000-8.800


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 272010**  
**Weight KG /M - 1.80**




**Profile Code - 272020**  
**Weight KG /M - 2.30**




**Profile Code - 272022**  
**Weight KG /M - 3.00**




**Profile Code - 273010**  
**Weight KG /M - 1.90**




**Profile Code - 273014**  
**Weight KG /M - 4.10**



**Profile Code - 272023**  
**Weight KG /M - 2.51**



**Profile Code - 271312**  
**Weight KG /M - 1.528**



**Profile Code - 273017**  
**Weight KG /M - 2.078**









**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

 <p>Dimensions: 134.84 (width), 67 (height), 166 (total width), 31.2 (flange width), 2 (wall thickness).</p>	 <p>Dimensions: 134.84 (width), 67 (height), 166 (total width), 31.2 (flange width), 3 (wall thickness).</p>
<p><b>Profile Code - 272024</b> Weight KG /M - 2.566</p>	<p><b>Profile Code - 272025</b> Weight KG /M - 3.602</p>
 <p>Dimensions: 134.84 (width), 67 (height), 166 (total width), 31.2 (flange width), 2 (wall thickness), 3 (inner wall thickness).</p>	 <p>Dimensions: 119.8 (width), 67 (height), 151 (total width), 31.2 (flange width), 2 (wall thickness).</p>
<p><b>Profile Code - 272026</b> Weight KG /M - 2.736</p>	<p><b>Profile Code - 272027</b> Weight KG /M - 2.561</p>
 <p>Dimensions: 169 (width), 67 (height), 200 (total width), 31 (flange width), 2.5 (wall thickness).</p>	 <p>Dimensions: 169 (width), 50 (height), 180 (total width), 11 (flange height), 2 (wall thickness).</p>
<p><b>Profile Code - 272028</b> Weight KG /M - 3.766</p>	<p><b>Profile Code - 272029</b> Weight KG /M - 2.610</p>
 <p>Dimensions: 180 (width), 50 (height), 196 (total width), 30 (flange width), 4 (wall thickness).</p>	 <p>Dimensions: 169 (width), 67 (height), 200 (total width), 31 (flange width), 4.5 (wall thickness), 2.5 (inner wall thickness).</p>
<p><b>Profile Code - 272030</b> Weight KG /M - 4.297</p>	<p><b>Profile Code - 272031</b> Weight KG /M - 4.101</p>


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm$  7 TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 272032**  
Weight KG /M - 3.272




**Profile Code - 273015**  
Weight KG /M - 2.240




**Profile Code - 273016**  
Weight KG /M - 3.119




**Profile Code - 272033**  
Weight KG /M - 2.562




**Profile Code - 272042**  
Weight KG /M - 1.335



**Profile Code - 272043**  
Weight KG /M - 2.422



**Profile Code - 272044**  
Weight KG /M - 3.600



**Profile Code - 272045**  
Weight KG /M - 1.921


**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 272046**  
Weight KG /M - 3.878




**Profile Code - 272047**  
Weight KG /M - 5.447




**Profile Code - 273016**  
Weight KG /M - 3.119




**Profile Code - 542010**  
Weight KG /M - 0.830




**Profile Code - 541010**  
Weight KG /M - 0.520



**Profile Code - 541011**  
Weight KG /M - 0.683



**Profile Code - 541012**  
Weight KG /M - 0.868



**Profile Code - 541013**  
Weight KG /M - 0.614


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



**Profile Code - 272038**  
**Weight KG /M - 3.428**



**Profile Code - 272039**  
**Weight KG /M - 3.877**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



**Profile Code - 272040**  
**Weight KG /M - 3.422**



**Profile Code - 272041**  
**Weight KG /M - 3.711**





 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

	
<p align="center"><b>Profile Code - 366182</b> <b>Weight KG /M - 0.331</b></p>	<p align="center"><b>Profile Code - 366183</b> <b>Weight KG /M - 0.470</b></p>
	
<p align="center"><b>Profile Code - 366184</b> <b>Weight KG /M - 0.252</b></p>	<p align="center"><b>Profile Code - 366185</b> <b>Weight KG /M - 0.286</b></p>

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaur, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## LADDER




Sr. No.	Profile Code	Weight/20' (KG)
01.	351010	2.300-2.800
02.	351011	2.800-3.300
03.	351012	3.300-3.800
04.	351013	3.800-4.300
05.	351014	4.300-4.800
06.	351015	4.800-5.300
07.	351016	5.300-5.800
08.	351017	5.800-6.300


## STEP




Sr. No.	Profile Code	Weight/12' (KG)
01.	352010	1.400-1.600
02.	352011	1.600-1.900
03.	352012	1.900-2.200




Profile Code - 353029  
Weight KG /M - 0.269




Profile Code - 353028  
Weight KG /M - 0.369



Profile Code - 353030  
Weight KG /M - 0.521



Profile Code - 353031  
Weight KG /M - 0.291



Profile Code - 353032  
Weight KG /M - 0.216


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 353033**  
**Weight KG /M - 0.439**



**Profile Code - 353034**  
**Weight KG /M - 0.321**



**Profile Code - 335011**  
**Weight(KG)/M - 0.464**



**Profile Code - 335012**  
**Weight(KG)/M - 0.382**

 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

## TOWER BOLT




Sr. No.	Profile Code	ID(mm)	Weight/12' (KG)
01.	341010	11	0.600-0.650
02.	341011	11.5	0.850-0.900
03.	341012	12.5	1.200-1.300

## HINGES



Sr. No.	Profile Code	Size(mm)	Weight/12' (KG)
01.	341110	32	0.750-0.780


## C - HANDLE




Profile Code - 341210  
Weight/12' (KG) - 4.500-4.800

## 27 MM SLIDING SERIES


### HEXAGONS TUBES




Profile Code - 332020  
Weight KG /M - 1.18



Profile Code - 332022  
Weight KG /M - 0.880



Profile Code - 332024  
Weight KG /M - 1.65



Profile Code - 363040  
Weight/12' (KG)-5.550-5.650


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 447010**  
**Weight KG /M - 1.00**




**Profile Code - 481010**  
**Weight KG /M - 1.30**

**PHOTO FRAME**



**Profile Code - 431010**  
**Weight/12' (KG) - 0.350-0.450**

**PLANE SAMOSA**



**Profile Code - 403010**  
**Weight/12' (KG) - 6.000-6.500**

**SAMOSA**



**Profile Code - 404010**  
**Weight/12' (KG) - 3.300-3.800**



**Profile Code - 404014**  
**Weight (KG)/M - 0.062**



**Profile Code - 422010**  
**Weight KG /M - 0.180**



**Profile Code - 481011**  
**Weight (KG)/M - 0.541**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 431011**  
**Weight (KG)/M - 1.668**




**Profile Code - 431012**  
**Weight (KG)/M - 1.291**




**Profile Code - 431013**  
**Weight (KG)/M - 0.791**




**Profile Code - 431014**  
**Weight (KG)/M - 0.158**




**Profile Code - 431015**  
**Weight (KG)/M - 0.355**



**Profile Code - 431016**  
**Weight (KG)/M - 0.280**



**Profile Code - 431017**  
**Weight (KG)/M - 0.787**



**Profile Code - 431018**  
**Weight (KG)/M - 0.721**


**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 431019**  
**Weight (KG)/M - 1.052**




**Profile Code - 431020**  
**Weight (KG)/M - 1.052**




**Profile Code - 431021**  
**Weight (KG)/M - 0.264**




**Profile Code - 431022**  
**Weight (KG)/M - 0.214**




**Profile Code - 431023**  
**Weight (KG)/M - 0.828**



**Profile Code - 431024**  
**Weight (KG)/M - 0.327**



**Profile Code - 431025**  
**Weight (KG)/M - 0.146**



**Profile Code - 431026**  
**Weight (KG)/M - 0.212**


**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 431027**  
**Weight (KG)/M - 0.335**




**Profile Code - 431028**  
**Weight (KG)/M - 0.198**




**Profile Code - 431029**  
**Weight (KG)/M - 0.186**




**Profile Code - 431030**  
**Weight (KG)/M - 0.822**




**Profile Code - 431031**  
**Weight (KG)/M - 0.209**



**Profile Code - 431032**  
**Weight (KG)/M - 0.280**



**Profile Code - 431033**  
**Weight (KG)/M - 0.762**



**Profile Code - 431034**  
**Weight (KG)/M - 1.352**









**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO  $10\%$

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

	
<p align="center"><b>Profile Code - 431035</b> Weight (KG)/M - 0.321</p>	<p align="center"><b>Profile Code - 431036</b> Weight (KG)/M - 0.389</p>
	
<p align="center"><b>Profile Code - 431037</b> Weight (KG)/M - 0.341</p>	<p align="center"><b>Profile Code - 431038</b> Weight (KG)/M - 0.136</p>
	
<p align="center"><b>Profile Code - 431039</b> Weight (KG)/M - 0.924</p>	<p align="center"><b>Profile Code - 431040</b> Weight (KG)/M - 1.016</p>
	
<p align="center"><b>Profile Code - 431041</b> Weight (KG)/M - 0.219</p>	<p align="center"><b>Profile Code - 431042</b> Weight (KG)/M - 0.847</p>


 **PREMIUM PROFILES**

 WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


 Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 431043**  
Weight (KG)/M - 0.644




**Profile Code - 431044**  
Weight (KG)/M - 0.210




**Profile Code - 431045**  
Weight (KG)/M - 1.052




**Profile Code - 431046**  
Weight (KG)/M - 0.529




**Profile Code - 431047**  
Weight (KG)/M - 0.279



**Profile Code - 431048**  
Weight (KG)/M - 0.445



**Profile Code - 431049**  
Weight (KG)/M - 1.887



**Profile Code - 431054**  
Weight (KG)/M - 0.106


**PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO  $10\%$


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com



**Profile Code - 431055**  
**Weight (KG)/M - 0.548**



**Profile Code - 431056**  
**Weight (KG)/M - 0.884**



**Profile Code - 431057**  
**Weight (KG)/M - 0.463**

SATYA


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366159**  
**Weight (KG)/M - 1.377**




**Profile Code - 366160**  
**Weight (KG)/M - 0.859**




**Profile Code - 366161**  
**Weight (KG)/M - 1.428**




**Profile Code - 366162**  
**Weight (KG)/M - 1.872**




**Profile Code - 366163**  
**Weight (KG)/M - 0.932**



**Profile Code - 366164**  
**Weight (KG)/M - 0.778**



**Profile Code - 366165**  
**Weight (KG)/M - 1.181**



**Profile Code - 366166**  
**Weight (KG)/M - 0.766**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366176**  
**Weight (KG)/M - 1.757**




**Profile Code - 366177**  
**Weight (KG)/M - 0.155**




**Profile Code - 366178**  
**Weight (KG)/M - 0.144**



**Profile Code - 366179**  
**Weight (KG)/M - 0.097**



**Profile Code - 366180**  
**Weight (KG)/M - 0.161**



**Profile Code - 366181**  
**Weight (KG)/M - 0.202**









 **PREMIUM PROFILES**


WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026


SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com


 <p>Dimensions: 40, 70, 61, 2</p>	 <p>Dimensions: 57.4, 79, 104, 2</p>	
<p><b>Profile Code - 366191</b> Weight (KG)/M - 1.556</p>	<p><b>Profile Code - 366192</b> Weight (KG)/M - 2.244</p>	
 <p>Dimensions: 24, 44, 1.1</p>	 <p>Dimensions: 37, 70, 16, 1.5</p>	
<p><b>Profile Code - 366193</b> Weight (KG)/M - 0.353</p>	<p><b>Profile Code - 366194</b> Weight (KG)/M - 0.947</p>	
 <p>Dimensions: 29.5, 70, 60, 1.5</p>	 <p>Dimensions: 83, 79, 83, 2</p>	
<p><b>Profile Code - 366195</b> Weight (KG)/M - 1.257</p>	<p><b>Profile Code - 366196</b> Weight (KG)/M - 2.244</p>	
 <p>Dimensions: 26.16, 8.05, 5.52</p>	 <p>Dimensions: 22.6, 17, 20.5, 2.5</p>	
<p><b>Profile Code - 366197</b> Weight (KG)/M - 0.286</p>	<p><b>Profile Code - 366198</b> Weight (KG)/M - 0.361</p>	
<p> <b>PREMIUM PROFILES</b></p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>




**Profile Code - 366601**  
**Weight (KG)/M - 0.558**




**Profile Code - 366602**  
**Weight (KG)/M - 0.791**




**Profile Code - 366603**  
**Weight (KG)/M - 0.114**




**Profile Code - 366604**  
**Weight (KG)/M - 2.194**



**Profile Code - 366605**  
**Weight (KG)/M - 3.471**



**Profile Code - 366606**  
**Weight (KG)/M - 0.487**



**Profile Code - 366607**  
**Weight (KG)/M - 0.635**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO  $10\%$


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366608**  
**Weight (KG)/M - 1.282**




**Profile Code - 366609**  
**Weight (KG)/M - 0.622**




**Profile Code - 366610**  
**Weight (KG)/M - 0.650**




**Profile Code - 366611**  
**Weight (KG)/M - 0.915**




**Profile Code - 366612**  
**Weight (KG)/M - 0.172**



**Profile Code - 366613**  
**Weight (KG)/M - 1.054**



**Profile Code - 366614**  
**Weight (KG)/M - 0.790**



**Profile Code - 366615**  
**Weight (KG)/M - 0.260**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366616**  
**Weight (KG)/M - 0.997**




**Profile Code - 366617**  
**Weight (KG)/M - 0.609**




**Profile Code - 366618**  
**Weight (KG)/M - 0.484**




**Profile Code - 366619**  
**Weight (KG)/M - 0.189**




**Profile Code - 366620**  
**Weight (KG)/M - 1.551**



**Profile Code - 366621**  
**Weight (KG)/M - 2.225**



**Profile Code - 366622**  
**Weight (KG)/M - 2.150**



**Profile Code - 366623**  
**Weight (KG)/M - 1.472**


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366081**  
**Weight (KG)/M - 0.0875**




**Profile Code - 452011**  
**Weight (KG)/M - 0.695**




**Profile Code - 452012**  
**Weight (KG)/M - 0.104**




**Profile Code - 452014**  
**Weight (KG)/M - 0.343**




**Profile Code - 452015**  
**Weight (KG)/M - 0.346**



**Profile Code - 452016**  
**Weight (KG)/M - 0.413**



**Profile Code - 366086**  
**Weight (KG)/M - 0.368**



**Profile Code - 366087**  
**Weight (KG)/M - 0.386**









 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

	
<p align="center"><b>Profile Code - 366090</b> <b>Weight (KG)/M - 0.470</b></p>	<p align="center"><b>Profile Code - 366091</b> <b>Weight (KG)/M - 0.516</b></p>
	
<p align="center"><b>Profile Code - 366096</b> <b>Weight (KG)/M - 0.321</b></p>	<p align="center"><b>Profile Code - 366101</b> <b>Weight (KG)/M - 0.420</b></p>
	
<p align="center"><b>Profile Code - 366084</b> <b>Weight (KG)/M - 0.381</b></p>	<p align="center"><b>Profile Code - 366085</b> <b>Weight (KG)/M - 0.377</b></p>
	
<p align="center"><b>Profile Code - 366110</b> <b>Weight (KG)/M - 0.452</b></p>	<p align="center"><b>Profile Code - 366077</b> <b>Weight KG /M - 0.380</b></p>


 **PREMIUM PROFILES**

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366078**  
**Weight KG /M - 0.251**



**Profile Code - 366102**  
**Weight (KG)/M - 0.604**



**Profile Code - 366104**  
**Weight (KG)/M - 1.165**



**Profile Code - 366103**  
**Weight (KG)/M - 0.993**








 **PREMIUM PROFILES**









WEIGHT TOLERANCE  $\pm 7$  TO  $10\%$

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

		
<p><b>Profile Code - IS00228</b> <b>Weight KG /M - 2.474</b></p>	<p><b>Profile Code - IS00229</b> <b>Weight KG /M - 1.419</b></p>	
		
<p><b>Profile Code - IS00230</b> <b>Weight KG /M - 1.849</b></p>	<p><b>Profile Code - IS00231</b> <b>Weight KG /M - 0.972</b></p>	
		
<p><b>Profile Code - 366174</b> <b>Weight KG /M - 0.594</b></p>	<p><b>Profile Code - 366175</b> <b>Weight KG /M - 0.923</b></p>	
		
<p><b>Profile Code - 366212</b> <b>Weight KG /M - 2.628</b></p>		
<p>ALL DIMENSIONS ARE IN MM</p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>


		
<p><b>Profile Code - 366113</b> <b>Weight KG /M - 0.789</b></p>	<p><b>Profile Code - 366114</b> <b>Weight KG /M - 0.328</b></p>	
		
<p><b>Profile Code - 366115</b> <b>Weight KG /M - 0.459</b></p>	<p><b>Profile Code - 366116</b> <b>Weight KG /M - 0.166</b></p>	
		
<p><b>Profile Code - 366117</b> <b>Weight KG /M - 0.752</b></p>	<p><b>Profile Code - 366118</b> <b>Weight KG /M - 0.547</b></p>	
		
<p><b>Profile Code - 366119</b> <b>Weight KG /M - 0.139</b></p>	<p><b>Profile Code - 366120</b> <b>Weight KG /M - 0.099</b></p>	
<p>ALL DIMENSIONS ARE IN MM</p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366121**  
**Weight KG /M - 1.109**




**Profile Code - 366122**  
**Weight KG /M - 0.555**




**Profile Code - 366123**  
**Weight KG /M - 0.209**




**Profile Code - 366130**  
**Weight KG /M - 0.615**




**Profile Code - 366131**  
**Weight KG /M - 0.859**



**Profile Code - 366132**  
**Weight KG /M - 0.479**



**Profile Code - 366133**  
**Weight KG /M - 0.611**



**Profile Code - 366134**  
**Weight KG /M - 0.815**


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366186**  
**Weight (KG)/M - 0.214**



**Profile Code - 366187**  
**Weight (KG)/M - 0.854**



**Profile Code - 366188**  
**Weight (KG)/M - 0.435**



**Profile Code - 366189**  
**Weight (KG)/M - 0.574**


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366135**  
**Weight KG /M - 0.897**




**Profile Code - 366136**  
**Weight KG /M - 0.168**




**Profile Code - 366137**  
**Weight KG /M - 1.026**




**Profile Code - 366138**  
**Weight KG /M - 0.355**




**Profile Code - 366139**  
**Weight KG /M - 0.822**



**Profile Code - 366140**  
**Weight KG /M - 0.098**



**Profile Code - 366141**  
**Weight KG /M - 0.105**



**Profile Code - 366142**  
**Weight KG /M - 0.526**


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366143**  
**Weight KG /M - 0.189**




**Profile Code - 366144**  
**Weight KG /M - 1.273**




**Profile Code - 366145**  
**Weight KG /M - 0.292**




**Profile Code - 366146**  
**Weight KG /M - 0.254**




**Profile Code - 366147**  
**Weight KG /M - 0.205**



**Profile Code - 366148**  
**Weight KG /M - 0.483**



**Profile Code - 366149**  
**Weight KG /M - 0.212**



**Profile Code - 366150**  
**Weight KG /M - 0.752**


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366151**  
**Weight KG /M - 0.736**




**Profile Code - 366152**  
**Weight KG /M - 0.0089**




**Profile Code - 366153**  
**Weight KG /M - 0.828**




**Profile Code - 366154**  
**Weight KG /M - 0.762**




**Profile Code - 366155**  
**Weight KG /M - 0.358**



**Profile Code - 366156**  
**Weight KG /M - 1.122**



**Profile Code - 366157**  
**Weight KG /M - 1.739**



**Profile Code - 366158**  
**Weight KG /M - 0.222**









ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026






SATYA METAL INDUSTRIES PVT.LTD









Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

		
<p><b>Profile Code - 366201</b> <b>Weight KG /M - 0.558</b></p>	<p><b>Profile Code - 366202</b> <b>Weight KG /M - 0.322</b></p>	
		
<p><b>Profile Code - 366203</b> <b>Weight KG /M - 2.747</b></p>	<p><b>Profile Code - 366204</b> <b>Weight KG /M - 5.268</b></p>	
		
<p><b>Profile Code - 366205</b> <b>Weight KG /M - 1.513</b></p>	<p><b>Profile Code - 366206</b> <b>Weight KG /M - 0.616</b></p>	
		
<p><b>Profile Code - 366207</b> <b>Weight KG /M - 1.078</b></p>	<p><b>Profile Code - 366208</b> <b>Weight KG /M - 1.980</b></p>	
<p>ALL DIMENSIONS ARE IN MM</p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com

		
<p><b>Profile Code - 366209</b> <b>Weight KG /M - 0.512</b></p>	<p><b>Profile Code - 366210</b> <b>Weight KG /M - 0.764</b></p>	
		
<p><b>Profile Code - 366211</b> <b>Weight KG /M - 2.309</b></p>	<p><b>Profile Code - 366214</b> <b>Weight KG /M - 5.274</b></p>	
		
<p><b>Profile Code - 366213</b> <b>Weight KG /M - 3.160</b></p>		
<p>ALL DIMENSIONS ARE IN MM</p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>


		
<p><b>Profile Code - 3663003</b> <b>Weight KG /M - 4.080</b></p>	<p><b>Profile Code - 3663006</b> <b>Weight KG /M - 9.275</b></p>	
		
<p><b>Profile Code - 3663008</b> <b>Weight KG /M - 14.644</b></p>	<p><b>Profile Code - 3663004</b> <b>Weight KG /M - 7.766</b></p>	
		
<p><b>Profile Code - 3663005</b> <b>Weight KG /M - 10.428</b></p>	<p><b>Profile Code - 3663021</b> <b>Weight KG /M - 9.420</b></p>	
		
<p><b>Profile Code - 3663001</b> <b>Weight KG /M - 2.723</b></p>	<p><b>Profile Code - 3663001</b> <b>Weight KG /M - 0.511</b></p>	
<p>ALL DIMENSIONS ARE IN MM</p>	<p>WEIGHT TOLERANCE <math>\pm 7</math> TO 10%</p>	<p>REVISED ON DATE - 01/01/2026</p>

SATYA METAL INDUSTRIES PVT.LTD


Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366401**  
**Weight KG /M - 0.318**




**Profile Code - 366402**  
**Weight KG /M - 0.526**




**Profile Code - 366403**  
**Weight KG /M - 0.358**




**Profile Code - 366404**  
**Weight KG /M - 0.307**




**Profile Code - 366405**  
**Weight KG /M - 0.306**



**Profile Code - 366406**  
**Weight KG /M - 0.350**



**Profile Code - 366407**  
**Weight KG /M - 0.282**



**Profile Code - 366408**  
**Weight KG /M - 0.314**


ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%


REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com




**Profile Code - 366409**  
**Weight KG /M - 0.415**




**Profile Code - 366410**  
**Weight KG /M - 0.339**

## LIGHTING PROFILES




**Profile Code - 366168**  
**Weight KG /M - 1.477**




**Profile Code - 366169**  
**Weight KG /M - 0.424**

## AC GRILL PROFILES



**Profile Code - 404015**  
**Weight KG /M - 0.101**



**Profile Code - 404016**  
**Weight KG /M - 0.063**

ALL DIMENSIONS ARE IN MM

WEIGHT TOLERANCE  $\pm 7$  TO 10%

REVISED ON DATE - 01/01/2026

SATYA METAL INDUSTRIES PVT.LTD

Address : Khasra No.480, Shimla Pistaar, Kichha Road Rudrapur, U.s.Nagar, Uttarakhand - 263153  
 Mob: +91-8477897789 | +91-9415215083 | E-mail : satyametal@rediffmail.com | Website : www.satyametal.com